

EEG Correlations Papers:

1. McGeown, L., & Davis, R. (2018). Frontal EEG asymmetry moderates the association between attentional bias towards food and body mass index. *Biological Psychology*, 136, 151–160. <http://doi.org/10.1016/j.biopsycho.2018.06.001>
2. Cheung, M.-C., Chan, A. S., Liu, Y., Law, D., & Wong, C. W. Y. (2017). Music training is associated with cortical synchronization reflected in EEG coherence during verbal memory encoding. *PloS One*, 12(3), e0174906. <http://doi.org/10.1371/journal.pone.0174906>
3. Stewart, J. L., Towers, D. N., Coan, J. A., & Allen, J. J. B. (2011). The oft-neglected role of parietal EEG asymmetry and risk for major depressive disorder. *Psychophysiology*, 48(1), 82–95. <http://doi.org/10.1111/j.1469-8986.2010.01035.x>
4. Teramoto, H., Morita, A., Ninomiya, S., Akimoto, T., Shiota, H., & Kamei, S. (2016). Relation between Resting State Front-Parietal EEG Coherence and Executive Function in Parkinson's Disease. *BioMed Research International*, 2016, 2845754. <http://doi.org/10.1155/2016/2845754>
5. Anwar, S., Saeed, S., Majid, M., Usman, S., Mehmood, C., & Liu, W. (2017). A Game Player Expertise Level Classification System Using Electroencephalography (EEG). *Applied Sciences*, 8(1), 18. <http://doi.org/10.3390/app8010018>
6. Schacter, D. L. (1977). EEG theta waves and psychological phenomena: A review and analysis. *Biological Psychology*, 5(1), 47–82. [http://doi.org/10.1016/0301-0511\(77\)90028-X](http://doi.org/10.1016/0301-0511(77)90028-X)
7. Cuevas, K., & Bell, M. A. (2011). EEG and ECG from 5 to 10 months of age: developmental changes in baseline activation and cognitive processing during a working memory task. *International Journal of Psychophysiology : Official Journal of the International Organization of Psychophysiology*, 80(2), 119–28. <http://doi.org/10.1016/j.ijpsycho.2011.02.009>
8. Grünewald, B. D., Greimel, E., Trinkl, M., Bartling, J., Großheinrich, N., & Schulte-Körne, G. (2018). Resting frontal EEG asymmetry patterns in adolescents with and without major depression. *Biological Psychology*, 132, 212–216. <http://doi.org/10.1016/j.biopsycho.2018.01.003>
9. Tarrant, J., Viczko, J., & Cope, H. (2018). Virtual Reality for Anxiety Reduction Demonstrated by Quantitative EEG: A Pilot Study. *Frontiers in Psychology*, 9, 1280. <http://doi.org/10.3389/fpsyg.2018.01280>
10. Cohen, M. X. (2017). Where Does EEG Come From and What Does It Mean? *Trends in Neurosciences*. <http://doi.org/10.1016/j.tins.2017.02.004>
11. Li, X., Ma, R., Pang, L., Lv, W., Xie, Y., Chen, Y., ... Zhang, X. (2017). Delta coherence in resting-state EEG predicts the reduction in cigarette craving after hypnotic aversion suggestions. *Scientific Reports*, 7(1), 2430. <http://doi.org/10.1038/s41598-017-01373-4>

12. Youh, J., Hong, J. S., Han, D. H., Chung, U. S., Min, K. J., Lee, Y. S., & Kim, S. M. (2017). Comparison of Electroencephalography (EEG) Coherence between Major Depressive Disorder (MDD) without Comorbidity and MDD Comorbid with Internet Gaming Disorder. *Journal of Korean Medical Science*, 32(7), 1160–1165. <http://doi.org/10.3346/jkms.2017.32.7.1160>
13. Markiewicz, R., & Markiewicz, R. (2017). The use of EEG Biofeedback/Neurofeedback in psychiatric rehabilitation. *Psychiatr. Pol*, 51(6), 1095–1106. <http://doi.org/10.12740/PP/68919>
14. Legget, K. T., Hild, A. K., Steinmetz, S. E., Simon, S. T., & Rojas, D. C. (2017). MEG and EEG demonstrate similar test-retest reliability of the 40Hz auditory steady-state response. *International Journal of Psychophysiology : Official Journal of the International Organization of Psychophysiology*, 114, 16–23. <http://doi.org/10.1016/j.ijpsycho.2017.01.013>
15. Suzuki, H., Mori, T., Kimura, M., & Endo, S. (1996). [Quantitative EEG characteristics of the state of depressive phase and the state of remission in major depression]. *Seishin Shinkeigaku Zasshi = Psychiatria et Neurologia Japonica*, 98(6), 363–77. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/8810860>
16. Lioi, G., Bell, S. L., Smith, D. C., & Simpson, D. M. (2017). Directional connectivity in the EEG is able to discriminate wakefulness from NREM sleep. *Physiological Measurement*, 38(9), 1802–1820. <http://doi.org/10.1088/1361-6579/aa81b5>
17. den Bakker, H., Sidorov, M. S., Fan, Z., Lee, D. J., Bird, L. M., Chu, C. J., & Philpot, B. D. (2018). Abnormal coherence and sleep composition in children with Angelman syndrome: a retrospective EEG study. *Molecular Autism*, 9, 32. <http://doi.org/10.1186/s13229-018-0214-8>
18. Srinivasan, R., Winter, W. R., Ding, J., & Nunez, P. L. (2007). EEG and MEG coherence: measures of functional connectivity at distinct spatial scales of neocortical dynamics. *Journal of Neuroscience Methods*, 166(1), 41–52. <http://doi.org/10.1016/j.jneumeth.2007.06.026>
19. Nagornova, Z. V. (2007). Changes in the EEG power during tests for nonverbal (figurative) creativity. *Human Physiology*, 33(3), 277–284. <http://doi.org/10.1134/S0362119707030036>
20. PRICHEP, L. S. (2007). Quantitative EEG and Electromagnetic Brain Imaging in Aging and in the Evolution of Dementia. *Annals of the New York Academy of Sciences*, 1097(1), 156–167. <http://doi.org/10.1196/annals.1379.008>
21. Fachner, J., Gold, C., & Erkkilä, J. (2013). Music Therapy Modulates Fronto-Temporal Activity in Rest-EEG in Depressed Clients. *Brain Topography*, 26(2), 338–354. <http://doi.org/10.1007/s10548-012-0254-x>
22. Tandle, A., Jog, N., Dharmadhikari, A., & Jaiswal, S. (2016). Estimation of valence of emotion from musically stimulated EEG using frontal theta asymmetry. In *2016 12th International Conference on Natural Computation, Fuzzy Systems and Knowledge Discovery (ICNC-FSKD)* (pp. 63–68). IEEE. <http://doi.org/10.1109/FSKD.2016.7603152>
23. Vysata, O., Kukal, J., Prochazka, A., Pazdera, L., Simko, J., & Valis, M. (2014). Age-related changes in EEG coherence. *Neurologia i Neurochirurgia Polska*, 48(1), 35–38. <http://doi.org/10.1016/j.pjnns.2013.09.001>

24. Jackson, A. F., & Bolger, D. J. (2014). The neurophysiological bases of EEG and EEG measurement: A review for the rest of us. *Psychophysiology*, 51(11), 1061–1071. <http://doi.org/10.1111/psyp.12283>
25. Kam, J. W. Y., Bolbecker, A. R., O'Donnell, B. F., Hetrick, W. P., & Brenner, C. A. (2013). Resting state EEG power and coherence abnormalities in bipolar disorder and schizophrenia. *Journal of Psychiatric Research*, 47(12), 1893–901. <http://doi.org/10.1016/j.jpsychires.2013.09.009>
26. Zubler, F., Seiler, A., Horvath, T., Roth, C., Miano, S., Rummel, C., ... Bassetti, C. L. (2018). Stroke causes a transient imbalance of interhemispheric information flow in EEG during non-REM sleep. *Clinical Neurophysiology*, 129(7), 1418–1426. <http://doi.org/10.1016/j.clinph.2018.03.038>
27. Keune, P. M., Hansen, S., Weber, E., Zapf, F., Habich, J., Muenssinger, J., ... Oschmann, P. (2017). Exploring resting-state EEG brain oscillatory activity in relation to cognitive functioning in multiple sclerosis. *Clinical Neurophysiology*, 128(9), 1746–1754. <http://doi.org/10.1016/j.clinph.2017.06.253>
28. Tóth, B., Janacsek, K., Takács, Á., Kóbor, A., Zavecz, Z., & Nemeth, D. (2017). Dynamics of EEG functional connectivity during statistical learning. *Neurobiology of Learning and Memory*, 144, 216–229. <http://doi.org/10.1016/j.nlm.2017.07.015>
29. Huang, C.-J., Huang, C.-W., Hung, C.-L., Tsai, Y.-J., Chang, Y.-K., Wu, C.-T., & Hung, T.-M. (2018). Effects of Acute Exercise on Resting EEG in Children with Attention-Deficit/Hyperactivity Disorder. *Child Psychiatry & Human Development*. <http://doi.org/10.1007/s10578-018-0813-9>
30. Kaiser, J., & Gruzelier, J. H. (1999). Effects of pubertal timing on EEG coherence and P3 latency. *International Journal of Psychophysiology*, 34(3), 225–236. [http://doi.org/10.1016/S0167-8760\(99\)00080-X](http://doi.org/10.1016/S0167-8760(99)00080-X)
31. Sabourin, M. E., Cutcomb, S. D., Crawford, H. J., & Pribram, K. (1990). EEG correlates of hypnotic susceptibility and hypnotic trance: spectral analysis and coherence. *International Journal of Psychophysiology*, 10(2), 125–142. [http://doi.org/10.1016/0167-8760\(90\)90027-B](http://doi.org/10.1016/0167-8760(90)90027-B)
32. Jiang, Z., & Zheng, L. (2006). Inter- and intra-hemispheric EEG coherence in patients with mild cognitive impairment at rest and during working memory task. *Journal of Zhejiang University. Science. B*, 7(5), 357–64. <http://doi.org/10.1631/jzus.2006.B0357>
33. Kang, S. Y., Im, C.-H., Shim, M., Nahab, F. B., Park, J., Kim, D.-W., ... Hallett, M. (2015). Brain Networks Responsible for Sense of Agency: An EEG Study. *PloS One*, 10(8), e0135261. <http://doi.org/10.1371/journal.pone.0135261>
34. Rizo-Martínez, L. E., Sanz-Martin, A., Guevara, M. Á., Hernández-González, M., Inozemtseva, O., & Robles-Aguirre, F. A. (2015). EEG Correlations during WCST Performance in Female Adolescents with Sexual Abuse-Related Post-Traumatic Stress Disorder. *Journal of Behavioral and Brain Science*, 05(07), 239–250. <http://doi.org/10.4236/jbbs.2015.57025>
35. MUSIC_SHIFTS_FRONTAL_EEG_IN_DE.PDF. (n.d.).
36. Williams, C. S., Spitz, M. C., Foley, J. F., Weaver, L. K., Lindblad, A. S., & Wierzbicki, M. R. (n.d.). Baseline EEG abnormalities in mild traumatic brain injury from the BIMA study. *Undersea & Hyperbaric Medicine : Journal of the Undersea and Hyperbaric Medical Society, Inc*, 43(5), 521–530. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/28768071>

37. Yeragani, V. K., Cashmere, D., Miewald, J., Tancer, M., & Keshavan, M. S. (2006). Decreased coherence in higher frequency ranges (beta and gamma) between central and frontal EEG in patients with schizophrenia: A preliminary report. *Psychiatry Research*, 141(1), 53–60. <http://doi.org/10.1016/j.psychres.2005.07.016>
38. Tandle, A., Jog, N., Dharmadhikari, A., Jaiswal, S., & Sawant, V. (2016). Study of valence of musical emotions and its laterality evoked by instrumental Indian classical music: An EEG study. In *2016 International Conference on Communication and Signal Processing (ICCSP)* (pp. 0327–0331). IEEE. <http://doi.org/10.1109/ICCSP.2016.7754149>
39. Shadli, S. M., Kawe, T., Martin, D., McNaughton, N., Neehoff, S., & Glue, P. (2018). Ketamine Effects on EEG during Therapy of Treatment-Resistant Generalized Anxiety and Social Anxiety. *The International Journal of Neuropsychopharmacology*, 21(8), 717. <http://doi.org/10.1093/ijnp/pyy032>
40. Maggioni, E., Bianchi, A. M. M., Altamura, A. C. C., Soares, J. C., & Brambilla, P. (2017). The putative role of neuronal network synchronization as a potential biomarker for bipolar disorder: A review of EEG studies. *Journal of Affective Disorders*, 212, 167–170. <http://doi.org/10.1016/j.jad.2016.12.045>
41. Leroy, A., Petit, G., Zarka, D., Cebolla, A. M., Palmero-Soler, E., Strul, J., ... Cheron, G. (2018). EEG Dynamics and Neural Generators in Implicit Navigational Image Processing in Adults with ADHD. *Neuroscience*, 373, 92–105. <http://doi.org/10.1016/j.neuroscience.2018.01.022>
42. Fingelkurts, A. A., & Fingelkurts, A. A. (2014). EEG oscillatory states: universality, uniqueness and specificity across healthy-normal, altered and pathological brain conditions. *PloS One*, 9(2), e87507. <http://doi.org/10.1371/journal.pone.0087507>
43. Pan, L.-L. H., Yang, W.-W., Kao, C.-L., Tsai, M.-W., Wei, S.-H., Fregni, F., ... Chou, L.-W. (2018). Effects of 8-week sensory electrical stimulation combined with motor training on EEG-EMG coherence and motor function in individuals with stroke. *Scientific Reports*, 8(1), 9217. <http://doi.org/10.1038/s41598-018-27553-4>
44. Metin, S. Z., Erguzel, T. T., Ertan, G., Salcini, C., Kocarslan, B., Cebi, M., ... Tarhan, N. (2018). The Use of Quantitative EEG for Differentiating Frontotemporal Dementia From Late-Onset Bipolar Disorder. *Clinical EEG and Neuroscience*, 49(3), 171–176. <http://doi.org/10.1177/1550059417750914>
45. Knott, V., Mahoney, C., Bradwejn, J., Shlik, J., & Gunnarsson, T. (2003). Effects of acute cholecystokinin infusion on hemispheric EEG asymmetry and coherence in healthy volunteers. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 27(1), 179–184. [http://doi.org/10.1016/S0278-5846\(02\)00350-0](http://doi.org/10.1016/S0278-5846(02)00350-0)
46. Schmidt, S., Naranjo, J. R., Brenneisen, C., Gundlach, J., Schultz, C., Kaube, H., ... Jeanmonod, D. (2012). Pain ratings, psychological functioning and quantitative EEG in a controlled study of chronic back pain patients. *PloS One*, 7(3), e31138. <http://doi.org/10.1371/journal.pone.0031138>
47. Kim, J., Chae, J.-H., Ko, H., Latchoumane, C.-F. V., Banerjee, A., Mandell, D. J., ... Jeong, J. (2012). Hemispheric asymmetry in non-linear interdependence of EEG in post-traumatic stress disorder. *Psychiatry and Clinical Neurosciences*, 66(2), 87–96. <http://doi.org/10.1111/j.1440-1819.2011.02300.x>
48. Krzeczkowski, J. E., Schmidt, L. A., Savoy, C., Saigal, S., & Van Lieshout, R. J. (2018). *Frontal EEG asymmetry in extremely low birth weight adult survivors: Links to antenatal*

- corticosteroid exposure and psychopathology. *Clinical Neurophysiology* (Vol. 129). <http://doi.org/10.1016/j.clinph.2018.05.023>
49. Moldofsky, H., Rothman, L., Kleinman, R., Rhind, S. G., & Richardson, J. D. (2016). Disturbed EEG sleep, paranoid cognition and somatic symptoms identify veterans with post-traumatic stress disorder. *BJPsych Open*, 2(6), 359–365. <http://doi.org/10.1192/bjpo.bp.116.003483>
 50. Babiloni, C., Del Percio, C., Lizio, R., Noce, G., Lopez, S., Soricelli, A., ... Bonanni, L. (2018). Abnormalities of resting-state functional cortical connectivity in patients with dementia due to Alzheimer's and Lewy body diseases: an EEG study. *Neurobiology of Aging*, 65. <http://doi.org/10.1016/j.neurobiolaging.2017.12.023>
 51. Smit, D. J. A., Posthuma, D., Boomsma, D. I., & De Geus, E. J. C. (2007). The relation between frontal EEG asymmetry and the risk for anxiety and depression. *Biological Psychology*, 74(1), 26–33. <http://doi.org/10.1016/J.BIOPSYCHO.2006.06.002>
 52. Elmer, S., & Kühnis, J. (2016). Functional Connectivity in the Left Dorsal Stream Facilitates Simultaneous Language Translation: An EEG Study. *Frontiers in Human Neuroscience*, 10, 60. <http://doi.org/10.3389/fnhum.2016.00060>
 53. Rollwage, M., Comtesse, H., & Stemmmler, G. (2017). Risky economic choices and frontal EEG asymmetry in the context of Reinforcer-Sensitivity-Theory-5. *Cognitive, Affective, & Behavioral Neuroscience*, 17(5), 984–1001. <http://doi.org/10.3758/s13415-017-0527-7>
 54. Musaeus, C. S., Engedal, K., Høgh, P., Jelic, V., Mørup, M., Naik, M., ... Andersen, B. B. (2018). EEG Theta Power Is an Early Marker of Cognitive Decline in Dementia due to Alzheimer's Disease. *Journal of Alzheimer's Disease*, 64(4), 1359–1371. <http://doi.org/10.3233/JAD-180300>
 55. Muthuraman, M., Moliadze, V., Mideksa, K. G., Anwar, A. R., Stephani, U., Deuschl, G., ... Siniatchkin, M. (2015). EEG-MEG Integration Enhances the Characterization of Functional and Effective Connectivity in the Resting State Network. *PloS One*, 10(10), e0140832. <http://doi.org/10.1371/journal.pone.0140832>
 56. Fuhr, P., & Gschwandtner, U. (2018). Decreased alpha2 connectivity in EEG is correlated with the cognitive and psychiatric manifestations of Parkinson's disease. *Clinical Neurophysiology*, 129(8), 1712–1713. <http://doi.org/10.1016/j.clinph.2018.06.005>
 57. Zhao, G., Zhang, Y., Ge, Y., Zheng, Y., Sun, X., & Zhang, K. (2018). Asymmetric hemisphere activation in tenderness: evidence from EEG signals. *Scientific Reports*, 8(1), 8029. <http://doi.org/10.1038/s41598-018-26133-w>
 58. Di Flumeri, G., Arico, P., Borghini, G., Sciaraffa, N., Maglione, A. G., Rossi, D., ... Herrero, M. T. (2017). EEG-based Approach-Withdrawal index for the pleasantness evaluation during taste experience in realistic settings. In *2017 39th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)* (Vol. 2017, pp. 3228–3231). IEEE. <http://doi.org/10.1109/EMBC.2017.8037544>
 59. Talalay, I. V., Kurgansky, A. V., & Machinskaya, R. I. (2018). Alpha-band functional connectivity during cued versus implicit modality-specific anticipatory attention: EEG-source coherence analysis. *Psychophysiology*, e13269. <http://doi.org/10.1111/psyp.13269>
 60. Broyd, S. J., Helps, S. K., & Sonuga-Barke, E. J. S. (2011). Attention-induced deactivations in very low frequency EEG oscillations: differential localisation according to ADHD symptom status. *PloS One*, 6(3), e17325. <http://doi.org/10.1371/journal.pone.0017325>

61. Kluetsch, R. C., Ros, T., Théberge, J., Frewen, P. A., Calhoun, V. D., Schmahl, C., ... Lanius, R. A. (2014). Plastic modulation of PTSD resting-state networks and subjective wellbeing by EEG neurofeedback. *Acta Psychiatrica Scandinavica*, 130(2), 123–36. <http://doi.org/10.1111/acps.12229>
62. Lenartowicz, A., & Loo, S. K. (2014). Use of EEG to Diagnose ADHD. *Current Psychiatry Reports*, 16(11), 498. <http://doi.org/10.1007/s11920-014-0498-0>
63. Kang, J.-S., Ojha, A., Lee, G., & Lee, M. (2017). Difference in brain activation patterns of individuals with high and low intelligence in linguistic and visuo-spatial tasks: An EEG study. *Intelligence*, 61, 47–55. <http://doi.org/10.1016/j.intell.2017.01.002>
64. de Camp, N. V., Hense, F., Lecher, B., Scheu, H., & Bergeler, J. (2017). Models for Preterm Cortical Development Using Non Invasive Clinical EEG. *Translational Neuroscience*, 8, 211–224. <http://doi.org/10.1515/tnsci-2017-0029>
65. Billeci, L., Sicca, F., Maharatna, K., Apicella, F., Narzisi, A., Campatelli, G., ... Muratori, F. (2013). On the Application of Quantitative EEG for Characterizing Autistic Brain: A Systematic Review. *Frontiers in Human Neuroscience*, 7, 442. <http://doi.org/10.3389/fnhum.2013.00442>
66. Al-Kadi, M. I., Reaz, M. B. I., Ali, M. A. M., & Liu, C. Y. (2014). Reduction of the dimensionality of the EEG channels during scoliosis correction surgeries using a wavelet decomposition technique. *Sensors (Basel, Switzerland)*, 14(7), 13046–69. <http://doi.org/10.3390/s140713046>
67. Jing, W., Wang, Y., Fang, G., Chen, M., Xue, M., Guo, D., ... Xia, Y. (2016). EEG Bands of Wakeful Rest, Slow-Wave and Rapid-Eye-Movement Sleep at Different Brain Areas in Rats. *Frontiers in Computational Neuroscience*, 10, 79. <http://doi.org/10.3389/fncom.2016.00079>
68. Puce, A., & Hämäläinen, M. S. (2017). A Review of Issues Related to Data Acquisition and Analysis in EEG/MEG Studies. *Brain Sciences*, 7(6). <http://doi.org/10.3390/brainsci7060058>
69. Gruzelier, J. H. (2014). EEG-neurofeedback for optimising performance. I: A review of cognitive and affective outcome in healthy participants. *Neuroscience & Biobehavioral Reviews*, 44, 124–141. <http://doi.org/10.1016/j.neubiorev.2013.09.015>
70. Goenka, A., Boro, A., & Yozawitz, E. (2018). Comparative sensitivity of quantitative EEG (QEEG) spectrograms for detecting seizure subtypes. *Seizure*, 55, 70–75. <http://doi.org/10.1016/j.seizure.2018.01.008>
71. Tolonen, A., Särkelä, M. O. K., Takala, R. S. K., Katila, A., Frantzén, J., Posti, J. P., ... Tenovuo, O. (2017). Quantitative EEG Parameters for Prediction of Outcome in Severe Traumatic Brain Injury: Development Study. *Clinical EEG and Neuroscience*, 155005941774223. <http://doi.org/10.1177/1550059417742232>
72. Meyer, T., Smeets, T., Giesbrecht, T., Quaedflieg, C. W. E. M., Smulders, F. T. Y., Meijer, E. H., & Merckelbach, H. L. G. J. (2015). The role of frontal EEG asymmetry in post-traumatic stress disorder. *Biological Psychology*, 108, 62–77. <http://doi.org/10.1016/j.biopsycho.2015.03.018>
73. Puschmann, S., Steinkamp, S., Gillich, I., Mirkovic, B., Debener, S., & Thiel, C. M. (2017). The Right Temporoparietal Junction Supports Speech Tracking During Selective Listening: Evidence from Concurrent EEG-fMRI. *The Journal of Neuroscience*, 37(47), 11505–11516. <http://doi.org/10.1523/JNEUROSCI.1007-17.2017>

74. Haufe, S., Nikulin, V. V., Müller, K.-R., & Nolte, G. (2013). A critical assessment of connectivity measures for EEG data: A simulation study. *NeuroImage*, 64, 120–133. <http://doi.org/10.1016/J.NEUROIMAGE.2012.09.036>
75. Areces, D., Cueli, M., García, T., González-Castro, P., & Rodríguez, C. (2018). Using Brain Activation (nir-HEG/Q-EEG) and Execution Measures (CPTs) in a ADHD Assessment Protocol. *Journal of Visualized Experiments*, (134). <http://doi.org/10.3791/56796>
76. Haarmann, H. J., & Cameron, K. A. (2005). Active maintenance of sentence meaning in working memory: Evidence from EEG coherences. *International Journal of Psychophysiology*, 57(2), 115–128. <http://doi.org/10.1016/j.ijpsycho.2005.03.017>
77. Mahjoory, K., Nikulin, V. V., Botrel, L., Linkenkaer-Hansen, K., Fato, M. M., & Haufe, S. (2017). Consistency of EEG source localization and connectivity estimates. *NeuroImage*, 152, 590–601. <http://doi.org/10.1016/J.NEUROIMAGE.2017.02.076>
78. Nunez, P. L., & Srinivasan, R. (2014). Neocortical dynamics due to axon propagation delays in cortico-cortical fibers: EEG traveling and standing waves with implications for top-down influences on local networks and white matter disease. *Brain Research*, 1542, 138–66. <http://doi.org/10.1016/j.brainres.2013.10.036>
79. Murta, T., Leite, M., Carmichael, D. W., Figueiredo, P., & Lemieux, L. (2015). Electrophysiological correlates of the BOLD signal for EEG-informed fMRI. *Human Brain Mapping*, 36(1), 391–414. <http://doi.org/10.1002/hbm.22623>
80. Bridwell, D. A., Cavanagh, J. F., Collins, A. G. E., Nunez, M. D., Srinivasan, R., Stober, S., & Calhoun, V. D. (2018). Moving Beyond ERP Components: A Selective Review of Approaches to Integrate EEG and Behavior. *Frontiers in Human Neuroscience*, 12, 106. <http://doi.org/10.3389/fnhum.2018.00106>
81. Jaworska, N., Wang, H., Smith, D. M., Blier, P., Knott, V., & Protzner, A. B. (2018). Pre-treatment EEG signal variability is associated with treatment success in depression. *NeuroImage: Clinical*, 17. <http://doi.org/10.1016/j.nicl.2017.10.035>
82. Omidvarnia, A., Pedersen, M., Vaughan, D. N., Walz, J. M., Abbott, D. F., Zalesky, A., & Jackson, G. D. (2017). Dynamic coupling between fMRI local connectivity and interictal EEG in focal epilepsy: A wavelet analysis approach. *Human Brain Mapping*, 38(11), 5356–5374. <http://doi.org/10.1002/hbm.23723>
83. Chen, A. C. N., Liu, F.-J., Wang, L., & Arendt-Nielsen, L. (2006). Mode and site of acupuncture modulation in the human brain: 3D (124-ch) EEG power spectrum mapping and source imaging. *NeuroImage*, 29(4), 1080–1091. <http://doi.org/10.1016/j.neuroimage.2005.08.066>
84. Yeom, S.-K., Won, D.-O., Chi, S. I., Seo, K.-S., Kim, H. J., Müller, K.-R., & Lee, S.-W. (2017). Spatio-temporal dynamics of multimodal EEG-fNIRS signals in the loss and recovery of consciousness under sedation using midazolam and propofol. *PloS One*, 12(11), e0187743. <http://doi.org/10.1371/journal.pone.0187743>
85. Tenke, C. E., Kayser, J., Alvarenga, J. E., Abraham, K. S., Warner, V., Talati, A., ... Bruder, G. E. (2018). Temporal stability of posterior EEG alpha over twelve years. *Clinical Neurophysiology*, 129(7), 1410–1417. <http://doi.org/10.1016/j.clinph.2018.03.037>
86. Franke, L. M., Walker, W. C., Hoke, K. W., & Wares, J. R. (2016). Distinction in EEG slow oscillations between chronic mild traumatic brain injury and PTSD. *International Journal of Psychophysiology*, 106, 21–29. <http://doi.org/10.1016/j.ijpsycho.2016.05.010>

87. Knott, V. J., & Lapierre, Y. D. (1987). Computerized EEG correlates of depression and antidepressant treatment. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 11(2–3), 213–221. [http://doi.org/10.1016/0278-5846\(87\)90063-7](http://doi.org/10.1016/0278-5846(87)90063-7)
88. Babiloni, C., Cassetta, E., Binetti, G., Tombini, M., Del Percio, C., Ferreri, F., ... Rossini, P. M. (2007). Resting EEG sources correlate with attentional span in mild cognitive impairment and Alzheimer's disease. *European Journal of Neuroscience*, 25(12), 3742–3757. <http://doi.org/10.1111/j.1460-9568.2007.05601.x>
89. Zhou, R. J., Hondori, H. M., Khademi, M., Cassidy, J. M., Wu, K. M., Yang, D. Z., ... Cramer, S. C. (2018). Predicting Gains With Visuospatial Training After Stroke Using an EEG Measure of Frontoparietal Circuit Function. *Frontiers in Neurology*, 9, 597. <http://doi.org/10.3389/fneur.2018.00597>
90. Bocci, T., Moretto, C., Tognazzi, S., Briscese, L., Naraci, M., Leocani, L., ... Sartucci, F. (2013). How does a surgeon's brain buzz? An EEG coherence study on the interaction between humans and robot. *Behavioral and Brain Functions : BBF*, 9, 14. <http://doi.org/10.1186/1744-9081-9-14>
91. Angelidis, A., Hagenaars, M., van Son, D., van der Does, W., & Putman, P. (2018). Do not look away! Spontaneous frontal EEG theta/beta ratio as a marker for cognitive control over attention to mild and high threat. *Biological Psychology*, 135(January), 8–17. <http://doi.org/10.1016/j.biopsycho.2018.03.002>
92. Enriquez-Geppert, S., Huster, R. J., & Herrmann, C. S. (2017). EEG-Neurofeedback as a Tool to Modulate Cognition and Behavior: A Review Tutorial. *Frontiers in Human Neuroscience*, 11. <http://doi.org/10.3389/fnhum.2017.00051>
93. Duffy, F. H., Shankardass, A., McAnulty, G. B., & Als, H. (2013). The relationship of Asperger's syndrome to autism: a preliminary EEG coherence study. *BMC Medicine*, 11, 175. <http://doi.org/10.1186/1741-7015-11-175>
94. Wei, J., Zhao, L., Yan, G., Duan, R., & Li, D. (1998). The temporal and spatial features of event-related EEG spectral changes in 4 mental conditions. *Electroencephalography and Clinical Neurophysiology*, 106(5), 416–23. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9680154>
95. Duffy, F. H., & Als, H. (2012). A stable pattern of EEG spectral coherence distinguishes children with autism from neuro-typical controls - a large case control study. *BMC Medicine*, 10, 64. <http://doi.org/10.1186/1741-7015-10-64>
96. Rohaut, B., & Naccache, L. (2017). Disentangling conscious from unconscious cognitive processing with event-related EEG potentials. *Revue Neurologique*, 173(7–8), 521–528. <http://doi.org/10.1016/j.neurol.2017.08.001>
97. Jurica, P., Struzik, Z. R., Li, J., Horiuchi, M., Hiroyama, S., Takahara, Y., ... Cichocki, A. (2018). Combining behavior and EEG analysis for exploration of dynamic effects of ADHD treatment in animal models. *Journal of Neuroscience Methods*, 298, 24–32. <http://doi.org/10.1016/J.JNEUMETH.2018.01.002>
98. Gollan, J. K., Hoxha, D., Chihade, D., Pflieger, M. E., Rosebrock, L., & Cacioppo, J. (2014). Frontal alpha EEG asymmetry before and after behavioral activation treatment for depression. *Biological Psychology*, 99, 198–208. <http://doi.org/10.1016/j.biopsycho.2014.03.003>
99. Baijot, S., Cevallos, C., Zarka, D., Leroy, A., Slama, H., Colin, C., ... Cheron, G. (2017). EEG Dynamics of a Go/Nogo Task in Children with ADHD. *Brain Sciences*, 7(12). <http://doi.org/10.3390/brainsci7120167>

100. Sauseng, P., Klimesch, W., Schabus, M., & Doppelmayr, M. (2005). Fronto-parietal EEG coherence in theta and upper alpha reflect central executive functions of working memory. *International Journal of Psychophysiology*, 57(2), 97–103. <http://doi.org/10.1016/J.IJPSYCHO.2005.03.018>
101. Simpson, A. J., Cunningham, M. O., & Baker, M. R. (2018). Electrodiagnostic applications of somatosensory evoked high-frequency EEG oscillations: Technical considerations. *Brain Research Bulletin*, 137, 351–355. <http://doi.org/10.1016/j.brainresbull.2018.01.011>
102. Petrichella, S., Johnson, N., & He, B. (2017). The influence of corticospinal activity on TMS-evoked activity and connectivity in healthy subjects: A TMS-EEG study. *PLOS ONE*, 12(4), e0174879. <http://doi.org/10.1371/journal.pone.0174879>
103. Jiang, Z. (2005). Study on EEG power and coherence in patients with mild cognitive impairment during working memory task. *Journal of Zhejiang University. Science. B*, 6(12), 1213–9. <http://doi.org/10.1631/jzus.2005.B1213>
104. Shibata, T., Musha, T., Kosugi, Y., Kubo, M., Horie, Y., Tanaka, M., ... Kuroda, S. (2018). Boundary EEG Asymmetry Is Associated to Linguistic Competence in Vascular Cognitive Impairments. *Frontiers in Human Neuroscience*, 12, 170. <http://doi.org/10.3389/fnhum.2018.00170>
105. Boutros, N. N., Gjini, K., Wang, F., & Bowyer, S. M. (2018). Evoked Potentials Investigations of Deficit Versus Nondeficit Schizophrenia: EEG-MEG Preliminary Data. *Clinical EEG and Neuroscience*, 155005941879786. <http://doi.org/10.1177/1550059418797868>
106. Tye, C., Rijdsdijk, F., & McLoughlin, G. (2014). Genetic overlap between ADHD symptoms and EEG theta power. *Brain and Cognition*, 87(1), 168–172. <http://doi.org/10.1016/j.bandc.2014.03.010>
107. Sunwoo, J.-S., Lee, S., Kim, J.-H., Lim, J.-A., Kim, T.-J., Byun, J.-I., ... Jung, K.-Y. (2017). Altered Functional Connectivity in Idiopathic Rapid Eye Movement Sleep Behavior Disorder: A Resting-State EEG Study. *Sleep*, 40(6). <http://doi.org/10.1093/sleep/zsx058>
108. Barry, R. J., Clarke, A. R., McCarthy, R., & Selikowitz, M. (2002). EEG coherence in attention-deficit/hyperactivity disorder: a comparative study of two DSM-IV types. *Clinical Neurophysiology*, 113(4), 579–585. [http://doi.org/10.1016/S1388-2457\(02\)00036-6](http://doi.org/10.1016/S1388-2457(02)00036-6)
109. Cardenas, V. A., Price, M., & Fein, G. (2018). EEG coherence related to fMRI resting state synchrony in long-term abstinent alcoholics. *NeuroImage. Clinical*, 17, 481–490. <http://doi.org/10.1016/j.nicl.2017.11.008>
110. Whedon, M., Perry, N. B., Calkins, S. D., & Bell, M. A. (2016). Changes in frontal EEG coherence across infancy predict cognitive abilities at age 3: The mediating role of attentional control. *Developmental Psychology*, 52(9), 1341–52. <http://doi.org/10.1037/dev0000149>
111. Hannesdóttir, D. K., Doxie, J., Bell, M. A., Ollendick, T. H., & Wolfe, C. D. (2010). A longitudinal study of emotion regulation and anxiety in middle childhood: Associations with frontal EEG asymmetry in early childhood. *Developmental Psychobiology*, 52(2), n/a-n/a. <http://doi.org/10.1002/dev.20425>
112. Catarino, A., Andrade, A., Churches, O., Wagner, A. P., Baron-Cohen, S., & Ring, H. (2013). Task-related functional connectivity in autism spectrum conditions: an

- EEG study using wavelet transform coherence. *Molecular Autism*, 4(1), 1.
<http://doi.org/10.1186/2040-2392-4-1>
113. Harmon-Jones, E., & Allen, J. J. (1998). Anger and frontal brain activity: EEG asymmetry consistent with approach motivation despite negative affective valence. *Journal of Personality and Social Psychology*, 74(5), 1310–6. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9599445>
 114. Khanna, A., Pascual-Leone, A., Michel, C. M., & Farzan, F. (2015). Microstates in resting-state EEG: current status and future directions. *Neuroscience and Biobehavioral Reviews*, 49, 105–13. <http://doi.org/10.1016/j.neubiorev.2014.12.010>
 115. Coan, J. A., & Allen, J. J. B. (2003). The state and trait nature of frontal EEG asymmetry in emotion. *The Asymmetrical Brain*, (June 2016), 565–615.
 116. Zotev, V., Phillips, R., Misaki, M., Wong, C. K., Wurfel, B. E., Krueger, F., ... Bodurka, J. (2018). Real-time fMRI neurofeedback training of the amygdala activity with simultaneous EEG in veterans with combat-related PTSD. *NeuroImage. Clinical*, 19, 106–121. <http://doi.org/10.1016/j.nicl.2018.04.010>
 117. Birca, A., Lassonde, M., Lippé, S., Lortie, A., Vannasing, P., & Carmant, L. (2015). Enhanced EEG connectivity in children with febrile seizures. *Epilepsy Research*, 110, 32–38. <http://doi.org/10.1016/j.eplepsyres.2014.11.008>
 118. Gruzelier, J. H. (2014). EEG-neurofeedback for optimising performance. III: A review of methodological and theoretical considerations. *Neuroscience and Biobehavioral Reviews*, 44, 159–182. <http://doi.org/10.1016/j.neubiorev.2014.03.015>
 119. Babiloni, C., Frisoni, G. B., Pievani, M., Vecchio, F., Infarinato, F., Geroldi, C., ... Rossini, P. M. (2008). White matter vascular lesions are related to parietal-to-frontal coupling of EEG rhythms in mild cognitive impairment. *Human Brain Mapping*, 29(12), 1355–1367. <http://doi.org/10.1002/hbm.20467>
 120. Nunez, P. L., Srinivasan, R., & Fields, R. D. (2015). EEG functional connectivity, axon delays and white matter disease. *Clinical Neurophysiology : Official Journal of the International Federation of Clinical Neurophysiology*, 126(1), 110–20. <http://doi.org/10.1016/j.clinph.2014.04.003>
 121. Metzger, L. J., Paige, S. R., Carson, M. A., Lasko, N. B., Paulus, L. A., Pitman, R. K., & Orr, S. P. (2004). PTSD Arousal and Depression Symptoms Associated With Increased Right-Sided Parietal EEG Asymmetry. *Journal of Abnormal Psychology*, 113(2), 324–329. <http://doi.org/10.1037/0021-843X.113.2.324>
 122. Kiiski, H., Reilly, R. B., Lonergan, R., Kelly, S., O'Brien, M. C., Kinsella, K., ... Whelan, R. (2012). Only low frequency event-related EEG activity is compromised in multiple sclerosis: insights from an independent component clustering analysis. *PloS One*, 7(9), e45536. <http://doi.org/10.1371/journal.pone.0045536>
 123. Pollock, V. E., & Schneider, L. S. (1990). Quantitative, waking EEG research on depression. *Biological Psychiatry*, 27(7), 757–780. [http://doi.org/10.1016/0006-3223\(90\)90591-O](http://doi.org/10.1016/0006-3223(90)90591-O)
 124. Lim, S. H., Nisar, H., Thee, K. W., & Yap, V. V. (2018). A novel method for tracking and analysis of EEG activation across brain lobes. *Biomedical Signal Processing and Control*, 40, 488–504. <http://doi.org/10.1016/j.bspc.2017.06.017>
 125. Li, Y., Tang, X., Xu, Z., Liu, W., & Li, J. (2016). Temporal correlation between two channels EEG of bipolar lead in the head midline is associated with sleep-wake

- stages. *Australasian Physical & Engineering Sciences in Medicine*, 39(1), 147–155.
<http://doi.org/10.1007/s13246-015-0409-7>
126. Linstedt, U., & Wulf, H. (2008). EEG-Messung zur Awareness-Vermeidung - Nutzen oder Luxus? *AINS - Anästhesiologie · Intensivmedizin · Notfallmedizin · Schmerztherapie*, 43(5), 384–392. <http://doi.org/10.1055/s-2008-1079113>
 127. Ghaderi, A. H., Moradkhani, S., Haghighatfard, A., Akrami, F., Khayyer, Z., & Balci, F. (2018). Time estimation and beta segregation: An EEG study and graph theoretical approach. *PloS One*, 13(4), e0195380.
<http://doi.org/10.1371/journal.pone.0195380>
 128. Bjørk, M. H., Stovner, L. J., Engstrøm, M., Stjern, M., Hagen, K., & Sand, T. (2009). Interictal quantitative EEG in migraine: A blinded controlled study. *Journal of Headache and Pain*, 10(5), 331–339. <http://doi.org/10.1007/s10194-009-0140-4>
 129. Mikkelsen, K. B., Villadsen, D. B., Otto, M., & Kidmose, P. (2017). Automatic sleep staging using ear-EEG. *BioMedical Engineering OnLine*, 16(1), 111.
<http://doi.org/10.1186/s12938-017-0400-5>
 130. Thatcher, R. W. (2012). Coherence, Phase Differences, Phase Shift, and Phase Lock in EEG/ERP Analyses. *Developmental Neuropsychology*, 37(6), 476–496.
<http://doi.org/10.1080/87565641.2011.619241>
 131. Vecchio, F., Babiloni, C., Lizio, R., Fallani, F. D. V., Blinowska, K., Verrienti, G., ... Rossini, P. M. (2013). Resting state cortical EEG rhythms in Alzheimer's disease: toward EEG markers for clinical applications: a review. *Supplements to Clinical Neurophysiology*, 62, 223–36. Retrieved from
<http://www.ncbi.nlm.nih.gov/pubmed/24053043>
 132. Kemp, A. H., Griffiths, K., Felmingham, K. L., Shankman, S. A., Drinkenburg, W., Arns, M., ... Bryant, R. A. (2010). Disorder specificity despite comorbidity: Resting EEG alpha asymmetry in major depressive disorder and post-traumatic stress disorder. *Biological Psychology*, 85(2), 350–354. <http://doi.org/10.1016/j.biopsycho.2010.08.001>
 133. Petsche, H. (1996). Approaches to verbal, visual and musical creativity by EEG coherence analysis. *International Journal of Psychophysiology*, 24(1–2), 145–159.
[http://doi.org/10.1016/S0167-8760\(96\)00050-5](http://doi.org/10.1016/S0167-8760(96)00050-5)
 134. Ham, A. T. (2018). Uncovering the Fundamentals of Polarity within the EEG: A Closer Look. *The Neurodiagnostic Journal*, 58(1), 40–68.
<http://doi.org/10.1080/21646821.2018.1428454>
 135. Peters, J. M., Taquet, M., Vega, C., Jeste, S. S., Fernández, I. S., Tan, J., ... Warfield, S. K. (2013). Brain functional networks in syndromic and non-syndromic autism: a graph theoretical study of EEG connectivity. *BMC Medicine*, 11, 54.
<http://doi.org/10.1186/1741-7015-11-54>
 136. Palmiero, M., & Piccardi, L. (2017). Frontal EEG Asymmetry of Mood: A Mini-Review. *Frontiers in Behavioral Neuroscience*, 11, 224.
<http://doi.org/10.3389/fnbeh.2017.00224>
 137. Wang, R., Wang, J., Yu, H., Wei, X., Yang, C., & Deng, B. (2015). Power spectral density and coherence analysis of Alzheimer's EEG. *Cognitive Neurodynamics*, 9(3), 291–304. <http://doi.org/10.1007/s11571-014-9325-x>
 138. Beniczky, S., Aurlen, H., Brøgger, J. C., Hirsch, L. J., Schomer, D. L., Trinka, E., ... Herman, S. T. (2017). Standardized computer-based organized reporting of EEG:

- SCORE – Second version. *Clinical Neurophysiology*, 128(11), 2334–2346.
<http://doi.org/10.1016/j.clinph.2017.07.418>
139. Zhang, J., Lau, E. Y. Y., & Hsiao, J. H. (2018). Sleep deprivation compromises resting-state emotional regulatory processes: An EEG study. *Journal of Sleep Research*, 194. <http://doi.org/10.1111/jsr.12671>
 140. Paula, C. A. R., Reategui, C., Costa, B. K. de S., Fonseca, C. Q. da, Silva, L. da, Morya, E., & Brasil, F. L. (2017). High-Frequency EEG Variations in Children with Autism Spectrum Disorder during Human Faces Visualization. *BioMed Research International*, 2017, 1–11. <http://doi.org/10.1155/2017/3591914>
 141. Abreu, R., Leal, A., & Figueiredo, P. (2018). EEG-Informed fMRI: A Review of Data Analysis Methods. *Frontiers in Human Neuroscience*, 12, 29. <http://doi.org/10.3389/fnhum.2018.00029>
 142. Goldstein, B. L., Shankman, S. A., Kujawa, A., Torpey-Newman, D. C., Dyson, M. W., Olino, T. M., & Klein, D. N. (2018). Positive and Negative Emotionality at Age 3 Predicts Change in Frontal EEG Asymmetry across Early Childhood. *Journal of Abnormal Child Psychology*. <http://doi.org/10.1007/s10802-018-0433-7>
 143. Al-Qazzaz, N. K., Ali, S. H. B. M., Ahmad, S. A., Chellappan, K., Islam, M. S., & Escudero, J. (2014). Role of EEG as biomarker in the early detection and classification of dementia. *TheScientificWorldJournal*, 2014, 906038. <http://doi.org/10.1155/2014/906038>
 144. Schellberg, D., Besthorn, C., Klos, T., & Gasser, T. (1990). EEG power and coherence while male adults watch emotional video films. *International Journal of Psychophysiology*, 9(3), 279–291. [http://doi.org/10.1016/0167-8760\(90\)90060-Q](http://doi.org/10.1016/0167-8760(90)90060-Q)
 145. Tandle, A., Jog, N., D'cunha, P., & Chheta, M. (2016). Classification of Artefacts in EEG Signal Recordings and EOG Artefact Removal using EOG Subtraction. *Communications on Applied Electronics*, 4(1), 12–19. <http://doi.org/10.5120/cae2016651997>
 146. Farina, B., Speranza, A. M., Dittoni, S., Gnani, V., Trentini, C., Vergano, C. M., ... Marca, G. Della. (2014). Memories of attachment hamper EEG cortical connectivity in dissociative patients. *European Archives of Psychiatry and Clinical Neuroscience*, 264(5), 449–458. <http://doi.org/10.1007/s00406-013-0461-9>
 147. Snyder, A. C., & Smith, M. A. (2015). Stimulus-dependent spiking relationships with the EEG. *Journal of Neurophysiology*, 114(3), 1468–82. <http://doi.org/10.1152/jn.00427.2015>
 148. Vecchio, F., Di Iorio, R., Miraglia, F., Granata, G., Romanello, R., Bramanti, P., & Rossini, P. M. (2018). Transcranial direct current stimulation generates a transient increase of small-world in brain connectivity: an EEG graph theoretical analysis. *Experimental Brain Research*, 236(4), 1117–1127. <http://doi.org/10.1007/s00221-018-5200-z>
 149. Cruz, G., Burgos, P., Kilborn, K., & Evans, J. J. (2017). Involvement of the anterior cingulate cortex in time-based prospective memory task monitoring: An EEG analysis of brain sources using Independent Component and Measure Projection Analysis. *PLOS ONE*, 12(9), e0184037. <http://doi.org/10.1371/journal.pone.0184037>
 150. Imperatori, C., Farina, B., Quintiliani, M. I., Onofri, A., Castelli Gattinara, P., Lepore, M., ... Della Marca, G. (2014). Aberrant EEG functional connectivity and EEG

- power spectra in resting state post-traumatic stress disorder: A sLORETA study. *Biological Psychology*, 102, 10–17. <http://doi.org/10.1016/j.biopsycho.2014.07.011>
151. Cruz-Garza, J. G., Hernandez, Z. R., Nepaul, S., Bradley, K. K., & Contreras-Vidal, J. L. (2014). Neural decoding of expressive human movement from scalp electroencephalography (EEG). *Frontiers in Human Neuroscience*, 8, 188. <http://doi.org/10.3389/fnhum.2014.00188>
 152. Meyer, T., Quaedflieg, C. W. E. M., Weijland, K., Schruers, K., Merckelbach, H., & Smeets, T. (2018). Frontal EEG asymmetry during symptom provocation predicts subjective responses to intrusions in survivors with and without PTSD. *Psychophysiology*, 55(1), e12779. <http://doi.org/10.1111/psyp.12779>
 153. Harrewijn, A., Van der Molen, M. J. W., & Westenberg, P. M. (2016). Putative EEG measures of social anxiety: Comparing frontal alpha asymmetry and delta–beta cross-frequency correlation. *Cognitive, Affective and Behavioral Neuroscience*, 16(6), 1086–1098. <http://doi.org/10.3758/s13415-016-0455-y>
 154. Chen, A. C. N., Feng, W., Zhao, H., Yin, Y., & Wang, P. (2008). EEG default mode network in the human brain: Spectral regional field powers. *NeuroImage*, 41(2), 561–574. <http://doi.org/10.1016/j.neuroimage.2007.12.064>
 155. Klimesch, W. (1999). EEG alpha and theta oscillations reflect cognitive and memory performance: a review and analysis. *Brain Research Reviews*, 29(2–3), 169–195. [http://doi.org/10.1016/S0165-0173\(98\)00056-3](http://doi.org/10.1016/S0165-0173(98)00056-3)
 156. Chiarenza, G. A., Villa, S., Galan, L., Valdes-Sosa, P., & Bosch-Bayard, J. (2018). Junior temperament character inventory together with quantitative EEG discriminate children with attention deficit hyperactivity disorder combined subtype from children with attention deficit hyperactivity disorder combined subtype plus oppositional defia. *International Journal of Psychophysiology*, 130, 9–20. <http://doi.org/10.1016/j.ijpsycho.2018.05.007>
 157. Pizzagalli, D. A., Oakes, T. R., & Davidson, R. J. (2003). Coupling of theta activity and glucose metabolism in the human rostral anterior cingulate cortex: An EEG/PET study of normal and depressed subjects. *Psychophysiology*, 40(6), 939–949. <http://doi.org/10.1111/1469-8986.00112>
 158. Passynkova, N. R., & Volf, N. V. (2001). Seasonal affective disorder: spatial organization of EEG power and coherence in the depressive state and in light-induced and summer remission. *Psychiatry Research*, 108(3), 169–85. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11756015>
 159. Miskovic, V., Schmidt, L. A., Georgiades, K., Boyle, M., & Macmillan, H. L. (2010). Adolescent females exposed to child maltreatment exhibit atypical EEG coherence and psychiatric impairment: Linking early adversity, the brain, and psychopathology. *Development and Psychopathology*, 22(02), 419. <http://doi.org/10.1017/S0954579410000155>
 160. Zotev, V., Yuan, H., Misaki, M., Phillips, R., Young, K. D., Feldner, M. T., & Bodurka, J. (2016). Correlation between amygdala BOLD activity and frontal EEG asymmetry during real-time fMRI neurofeedback training in patients with depression. *NeuroImage. Clinical*, 11, 224–38. <http://doi.org/10.1016/j.nicl.2016.02.003>
 161. Vecchio, F., Miraglia, F., Gorgoni, M., Ferrara, M., Iberite, F., Bramanti, P., ... Rossini, P. M. (2017). Cortical connectivity modulation during sleep onset: A study via

- graph theory on EEG data. *Human Brain Mapping*, 38(11), 5456–5464.
<http://doi.org/10.1002/hbm.23736>
162. Gao, J., Wang, W., & Zhang, J. (2016). Explore Interregional EEG Correlations Changed by Sport Training Using Feature Selection. *Computational Intelligence and Neuroscience*, 2016, 6184823. <http://doi.org/10.1155/2016/6184823>
 163. Handojoseno, A. M. A., Naik, G. R., Gilat, M., Shine, J. M., Nguyen, T. N., Ly, Q. T., ... Nguyen, H. T. (2018). Prediction of Freezing of Gait in Patients with Parkinson's Disease Using EEG Signals. *Studies in Health Technology and Informatics*, 246, 124–131. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/29507265>
 164. Lee, S.-H., Yoon, S., Kim, J.-I., Jin, S.-H., & Chung, C. K. (2014). Functional connectivity of resting state EEG and symptom severity in patients with post-traumatic stress disorder. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 51, 51–57. <http://doi.org/10.1016/j.pnpbp.2014.01.008>
 165. Liao, S.-C., Wu, C.-T., Huang, H.-C., Cheng, W.-T., & Liu, Y.-H. (2017). Major Depression Detection from EEG Signals Using Kernel Eigen-Filter-Bank Common Spatial Patterns. *Sensors (Basel, Switzerland)*, 17(6). <http://doi.org/10.3390/s17061385>
 166. Xiong, S., Cheng, C., Wu, X., Guo, X., Yao, L., & Zhang, J. (2014). Working memory training using EEG neurofeedback in normal young adults. *Bio-Medical Materials and Engineering*, 24(6), 3637–44. <http://doi.org/10.3233/BME-141191>
 167. Taghva, A., Silvetz, R., Ring, A., Kim, K.-Y. A., Murphy, K. T., Liu, C. Y., & Jin, Y. (2015). Magnetic Resonance Therapy Improves Clinical Phenotype and EEG Alpha Power in Posttraumatic Stress Disorder. *Trauma Monthly*, 20(4), e27360. <http://doi.org/10.5812/traumamon.27360>
 168. Popkirov, S., Flasbeck, V., Schlegel, U., Juckel, G., & Brüne, M. (2018). Childhood trauma and dissociative symptoms predict frontal EEG asymmetry in borderline personality disorder. *Journal of Trauma & Dissociation*, 1–16. <http://doi.org/10.1080/15299732.2018.1451808>
 169. Flor-Henry, P. (2010). EEG Analysis of Male to Female Transsexuals: Discriminant Function and Source Analysis. *Clinical EEG and Neuroscience*, 41(4), 219–222. <http://doi.org/10.1177/155005941004100410>
 170. Ko, K.-E., Yang, H.-C., & Sim, K.-B. (2009). Emotion recognition using EEG signals with relative power values and Bayesian network. *International Journal of Control, Automation and Systems*, 7(5), 865–870. <http://doi.org/10.1007/s12555-009-0521-0>
 171. Jombík, P., Drobny, M., Saniova, B., Fischer, M., Kaderjaková, P., Lajčiaková, M., ... Nosál, V. (2017). Some quantitative EEG features in default mode resting state network under general anaesthesia. *Neuro Endocrinology Letters*, 38(4), 261–268. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/28871712>
 172. Nusslock, R., Shackman, A. J., McMenamin, B. W., Greischar, L. L., Davidson, R. J., & Kovacs, M. (2018). Comorbid anxiety moderates the relationship between depression history and prefrontal EEG asymmetry. *Psychophysiology*, 55(1). <http://doi.org/10.1111/psyp.12953>
 173. Jaime, M., McMahon, C. M., Davidson, B. C., Newell, L. C., Mundy, P. C., & Henderson, H. A. (2016). Brief Report: Reduced Temporal-Central EEG Alpha Coherence During Joint Attention Perception in Adolescents with Autism Spectrum

- Disorder. *Journal of Autism and Developmental Disorders*, 46(4), 1477–89.
<http://doi.org/10.1007/s10803-015-2667-3>
174. Chae, J.-H., Jeong, J., Peterson, B. S., Kim, D.-J., Bahk, W.-M., Jun, T.-Y., ... Kim, K.-S. (2004). Dimensional complexity of the EEG in patients with posttraumatic stress disorder. *Psychiatry Research: Neuroimaging*, 131(1), 79–89.
<http://doi.org/10.1016/j.pscychresns.2003.05.002>
 175. Bach Justesen, A., Eskelund Johansen, A. B., Martinussen, N. I., Wasserman, D., Terney, D., Meritam, P., ... Beniczky, S. (2018). Added clinical value of the inferior temporal EEG electrode chain. *Clinical Neurophysiology*, 129(1), 291–295.
<http://doi.org/10.1016/j.clinph.2017.09.113>
 176. TEICHER, M. H., Ito, Y., GLOD, C. A., ANDERSEN, S. L., DUMONT, N., & Ackerman, E. (1997). Preliminary evidence for abnormal cortical development in physically and sexually abused children using EEG coherence and MRI. *Annals of the New York Academy of Sciences*, 821(1 Psychobiology), 160–175.
<http://doi.org/10.1111/j.1749-6632.1997.tb48277.x>
 177. Allen, J. J. B., Keune, P. M., Schönenberg, M., & Nusslock, R. (2018). Frontal EEG alpha asymmetry and emotion: From neural underpinnings and methodological considerations to psychopathology and social cognition. *Psychophysiology*, 55(1), e13028. <http://doi.org/10.1111/psyp.13028>
 178. Hartikainen, P., Soininen, H., Partanen, J., Helkala, E. L., & Riekkinen, P. (1992). Aging and spectral analysis of EEG in normal subjects: a link to memory and CSF AChE. *Acta Neurologica Scandinavica*, 86(2), 148–155. <http://doi.org/10.1111/j.1600-0404.1992.tb05057.x>
 179. Davidson, R. J., Schaffer, C. E., & Saron, C. (1985). Effects of Lateralized Presentations of Faces on Self-Reports of Emotion and EEG Asymmetry in Depressed and Non-Depressed Subjects. *Psychophysiology*, 22(3), 353–364.
<http://doi.org/10.1111/j.1469-8986.1985.tb01615.x>
 180. Lobo, I., Portugal, L. C., Figueira, I., Volchan, E., David, I., Garcia Pereira, M., & de Oliveira, L. (2015). EEG correlates of the severity of posttraumatic stress symptoms: A systematic review of the dimensional PTSD literature. *Journal of Affective Disorders*, 183, 210–220. <http://doi.org/10.1016/j.jad.2015.05.015>
 181. O'Reilly, C., Lewis, J. D., & Elsabbagh, M. (2017). Is functional brain connectivity atypical in autism? A systematic review of EEG and MEG studies. *PLoS ONE*, 12(5), 1–28. <http://doi.org/10.1371/journal.pone.0175870>
 182. Khoshnoud, S., Nazari, M. A., & Shamsi, M. (2018). Functional brain dynamic analysis of ADHD and control children using nonlinear dynamical features of EEG signals. *Journal of Integrative Neuroscience*, 17(1), 17–30. <http://doi.org/10.3233/JIN-170033>
 183. Olbrich, S., Van Dinteren, R., & Arns, M. (2016). Personalized Medicine: Review and Perspectives of Promising Baseline EEG Biomarkers in Major Depressive Disorder and Attention Deficit Hyperactivity Disorder. *Neuropsychobiology*, 72(3–4), 229–240.
<http://doi.org/10.1159/000437435>
 184. Lindau, M., Jelic, V., Johansson, S.-E., Andersen, C., Wahlund, L.-O., & Almkvist, O. (2003). Quantitative EEG Abnormalities and Cognitive Dysfunctions in Frontotemporal Dementia and Alzheimer's Disease. *Dementia and Geriatric Cognitive Disorders*, 15(2), 106–114. <http://doi.org/10.1159/000067973>

185. Park, S., Ryu, H., Lee, J.-Y., Choi, A., Kim, D.-J., Kim, S. N., & Choi, J.-S. (2018). Longitudinal Changes in Neural Connectivity in Patients With Internet Gaming Disorder: A Resting-State EEG Coherence Study. *Frontiers in Psychiatry*, 9, 252. <http://doi.org/10.3389/fpsy.2018.00252>
186. Li, L., Wang, H., Ke, X., Liu, X., Yuan, Y., Zhang, D., ... Qiu, Y. (2016). Placebo Analgesia Changes Alpha Oscillations Induced by Tonic Muscle Pain: EEG Frequency Analysis Including Data during Pain Evaluation. *Frontiers in Computational Neuroscience*, 10, 45. <http://doi.org/10.3389/fncom.2016.00045>
187. Surmeli, T., Eralp, E., Mustafazade, I., Kos, H., Özer, G. E., & Surmeli, O. H. (2016). Quantitative EEG Neurometric Analysis–Guided Neurofeedback Treatment in Dementia. *Clinical EEG and Neuroscience*, 47(2), 118–133. <http://doi.org/10.1177/1550059415590750>
188. Hu, S., Stead, M., Dai, Q., & Worrell, G. A. (2010). On the recording reference contribution to EEG correlation, phase synchrony, and coherence. *IEEE Transactions on Systems, Man, and Cybernetics. Part B, Cybernetics : A Publication of the IEEE Systems, Man, and Cybernetics Society*, 40(5), 1294–304. <http://doi.org/10.1109/TSMCB.2009.2037237>
189. Ginatempo, F., De Carli, F., Todesco, S., Mercante, B., Sechi, G. Pietro, & Deriu, F. (2018). Effects of acute trigeminal nerve stimulation on rest EEG activity in healthy adults. *Experimental Brain Research*. <http://doi.org/10.1007/s00221-018-5338-8>
190. Snyder, S. M., Quintana, H., Sexson, S. B., Knott, P., Haque, A. F. M., & Reynolds, D. A. (2008). Blinded, multi-center validation of EEG and rating scales in identifying ADHD within a clinical sample. *Psychiatry Research*, 159(3), 346–358. <http://doi.org/10.1016/j.psychres.2007.05.006>
191. Spironelli, C., & Angrilli, A. (2017). Posture Used in fMRI-PET Elicits Reduced Cortical Activity and Altered Hemispheric Asymmetry with Respect to Sitting Position: An EEG Resting State Study. *Frontiers in Human Neuroscience*, 11, 621. <http://doi.org/10.3389/fnhum.2017.00621>
192. Eagleman, S. L., Drover, C. M., Drover, D. R., Ouellette, N. T., & MacIver, M. B. (2018). Remifentanyl and Nitrous Oxide Anesthesia Produces a Unique Pattern of EEG Activity During Loss and Recovery of Response. *Frontiers in Human Neuroscience*, 12, 173. <http://doi.org/10.3389/fnhum.2018.00173>
193. Berchio, C., Rihs, T. A., Piguet, C., Dayer, A. G., Aubry, J.-M. M., & Michel, C. M. (2016). Early averted gaze processing in the right Fusiform Gyrus: An EEG source imaging study. *Biological Psychology*, 119, 156–170. <http://doi.org/10.1016/j.biopsycho.2016.06.008>
194. Tas, C., Cebi, M., Tan, O., Hızlı-Sayar, G., Tarhan, N., & Brown, E. C. (2015). EEG power, cordance and coherence differences between unipolar and bipolar depression. *Journal of Affective Disorders*, 172, 184–190. <http://doi.org/10.1016/j.jad.2014.10.001>
195. Min, J., Wang, P., & Hu, J. (2017). Driver fatigue detection through multiple entropy fusion analysis in an EEG-based system. *PLOS ONE*, 12(12), e0188756. <http://doi.org/10.1371/journal.pone.0188756>
196. Pritchep, L. S., John, E. R., Ferris, S. H., Reisberg, B., Almas, M., Alper, K., & Cancro, R. (1994). Quantitative EEG correlates of cognitive deterioration in the elderly. *Neurobiology of Aging*, 15(1), 85–90. [http://doi.org/10.1016/0197-4580\(94\)90147-3](http://doi.org/10.1016/0197-4580(94)90147-3)

197. Borbély, A. A., Baumann, F., Brandeis, D., Strauch, I., & Lehmann, D. (1981). Sleep deprivation: Effect on sleep stages and EEG power density in man. *Electroencephalography and Clinical Neurophysiology*, 51(5), 483–493. [http://doi.org/10.1016/0013-4694\(81\)90225-X](http://doi.org/10.1016/0013-4694(81)90225-X)
198. Tedrus, G. M., Negreiros, L. M., Ballarim, R. S., Marques, T. A., & Fonseca, L. C. (2018). Correlations Between Cognitive Aspects and Quantitative EEG in Adults With Epilepsy. *Clinical EEG and Neuroscience*, 155005941879355. <http://doi.org/10.1177/1550059418793553>
199. Guevara, M. A., & Corsi-Cabrera, M. (1996). EEG coherence or EEG correlation? *International Journal of Psychophysiology : Official Journal of the International Organization of Psychophysiology*, 23(3), 145–53. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/8947780>
200. Lee, Y.-Y., & Hsieh, S. (2014). Classifying different emotional states by means of EEG-based functional connectivity patterns. *PloS One*, 9(4), e95415. <http://doi.org/10.1371/journal.pone.0095415>
201. Gronfier, C., Chapotot, F., Weibel, L., Jouny, C., Piquard, F. O., Brandenberger, G., ... Wei-Bel, L. (1998). Pulsatile cortisol secretion and EEG delta waves are controlled by two independent but synchronized generators. *Am J Physiol Endocrinol Metab American Journal of Physiology -Endocrinology and Metabolism by Guest On*, 275, 94–100. Retrieved from <http://ajpendo.physiology.org/content/275/1/E94.full#ref-list-1>
202. Aquino, L., Kang, C. Y., Harada, M. Y., Ko, A., Do-Nguyen, A., Ley, E. J., ... Alban, R. F. (2017). Is Routine Continuous EEG for Traumatic Brain Injury Beneficial? *The American Surgeon*, 83(12), 1433–1437. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/29336768>
203. Park, S. M., Lee, J. Y., Kim, Y. J., Lee, J.-Y., Jung, H. Y., Sohn, B. K., ... Choi, J.-S. (2017). Neural connectivity in Internet gaming disorder and alcohol use disorder: A resting-state EEG coherence study. *Scientific Reports*, 7(1), 1333. <http://doi.org/10.1038/s41598-017-01419-7>
204. Olszewska-Guizzo, A. A., Paiva, T. O., & Barbosa, F. (2018). Effects of 3D Contemplative Landscape Videos on Brain Activity in a Passive Exposure EEG Experiment. *Frontiers in Psychiatry*, 9, 317. <http://doi.org/10.3389/fpsyt.2018.00317>
205. Fedele, T., Schönenberger, C., Curio, G., Serra, C., Kräyenbühl, N., & Sarnthein, J. (2017). Intraoperative subdural low-noise EEG recording of the high frequency oscillation in the somatosensory evoked potential. *Clinical Neurophysiology*, 128(10), 1851–1857. <http://doi.org/10.1016/j.clinph.2017.07.400>
206. Széles, B., Mielke, R., Herholz, K., & Heiss, W.-D. (1994). Quantitative topographical EEG compared to FDG PET for classification of vascular and degenerative dementia. *Electroencephalography and Clinical Neurophysiology*, 91(2), 131–139. [http://doi.org/10.1016/0013-4694\(94\)90034-5](http://doi.org/10.1016/0013-4694(94)90034-5)
207. Ferreri, F., Guerra, A., Vollero, L., Ponzio, D., Maatta, S., Mervaala, E., ... Di Lazzaro, V. (2017). Age-related changes of cortical excitability and connectivity in healthy humans: non-invasive evaluation of sensorimotor network by means of TMS-EEG. *Neuroscience*, 357, 255–263. <http://doi.org/10.1016/j.neuroscience.2017.06.014>
208. Meyer, T., Quaedflieg, C. W. E. M., Giesbrecht, T., Meijer, E. H., Abiad, S., & Smeets, T. (2014). Frontal EEG asymmetry as predictor of physiological responses to

- aversive memories. *Psychophysiology*, 51(9), 853–865.
<http://doi.org/10.1111/psyp.12230>
209. Duffy, F. H., McAnulty, G. B., McCreary, M. C., Cuchural, G. J., & Komaroff, A. L. (2011). EEG spectral coherence data distinguish chronic fatigue syndrome patients from healthy controls and depressed patients--a case control study. *BMC Neurology*, 11, 82. <http://doi.org/10.1186/1471-2377-11-82>
 210. Dvey-Aharon, Z., Fogelson, N., Peled, A., & Intrator, N. (2017). Connectivity maps based analysis of EEG for the advanced diagnosis of schizophrenia attributes. *PLOS ONE*, 12(10), e0185852. <http://doi.org/10.1371/journal.pone.0185852>
 211. Jiang, Z. (2005). Abnormal cortical functional connections in Alzheimer's disease: analysis of inter- and intra-hemispheric EEG coherence. *Journal of Zhejiang University. Science. B*, 6(4), 259–64. <http://doi.org/10.1631/jzus.2005.B0259>
 212. Clarke, A. R., Barry, R. J., Heaven, P. C. L., McCarthy, R., Selikowitz, M., & Byrne, M. K. (2008). EEG coherence in adults with Attention-Deficit/Hyperactivity Disorder. *International Journal of Psychophysiology*, 67(1), 35–40. <http://doi.org/10.1016/J.IJPSYCHO.2007.10.001>
 213. Hlinka, J., Alexakis, C., Diukova, A., Liddle, P. F., & Auer, D. P. (2010). Slow EEG pattern predicts reduced intrinsic functional connectivity in the default mode network: An inter-subject analysis. *NeuroImage*, 53(1), 239–246. <http://doi.org/10.1016/j.neuroimage.2010.06.002>
 214. McCarthy, R., Selikowitz, M., Abbott, I., Croft, R. J., Magee, C. A., Hsu, C.-I., & Lawrence, C. A. (2005). Effects of methylphenidate on EEG coherence in Attention-Deficit/Hyperactivity Disorder. *International Journal of Psychophysiology*, 58(1), 4–11. <http://doi.org/10.1016/J.IJPSYCHO.2005.03.004>
 215. Gordon, E., Palmer, D. M., & Cooper, N. (2010). EEG Alpha Asymmetry in Schizophrenia, Depression, PTSD, Panic Disorder, ADHD and Conduct Disorder. *Clinical EEG and Neuroscience*, 41(4), 178–183. <http://doi.org/10.1177/155005941004100404>
 216. Cao, Z., Lin, C.-T., Chuang, C.-H., Lai, K.-L., Yang, A. C., Fuh, J.-L., & Wang, S.-J. (2016). Resting-state EEG power and coherence vary between migraine phases. *The Journal of Headache and Pain*, 17(1), 102. <http://doi.org/10.1186/s10194-016-0697-7>
 217. Knott, V., Mahoney, C., Kennedy, S., & Evans, K. (2001). EEG power, frequency, asymmetry and coherence in male depression. *Psychiatry Research: Neuroimaging*, 106(2), 123–140. [http://doi.org/10.1016/S0925-4927\(00\)00080-9](http://doi.org/10.1016/S0925-4927(00)00080-9)
 218. Imperatori, C., Brunetti, R., Farina, B., Speranza, A. M., Losurdo, A., Testani, E., ... Della Marca, G. (2014). Modification of EEG power spectra and EEG connectivity in autobiographical memory: a sLORETA study. *Cognitive Processing*, 15(3), 351–361. <http://doi.org/10.1007/s10339-014-0605-5>
 219. Bai, Y., Huang, G., Tu, Y., Tan, A., Hung, Y. S., & Zhang, Z. (2016). Normalization of Pain-Evoked Neural Responses Using Spontaneous EEG Improves the Performance of EEG-Based Cross-Individual Pain Prediction. *Frontiers in Computational Neuroscience*, 10, 31. <http://doi.org/10.3389/fncom.2016.00031>
 220. Arns, M., Conners, C. K., & Kraemer, H. C. (2013). A Decade of EEG Theta/Beta Ratio Research in ADHD: A Meta-Analysis. *Journal of Attention Disorders*, 17(5), 374–383. <http://doi.org/10.1177/1087054712460087>

221. Van Hecke, A. V., Stevens, S., Carson, A. M., Karst, J. S., Dolan, B., Schohl, K., ... Brockman, S. (2015). Measuring the Plasticity of Social Approach: A Randomized Controlled Trial of the Effects of the PEERS Intervention on EEG Asymmetry in Adolescents with Autism Spectrum Disorders. *Journal of Autism and Developmental Disorders*, 45(2), 316–335. <http://doi.org/10.1007/s10803-013-1883-y>
222. Zheng, G., Qi, X., Li, Y., Zhang, W., & Yu, Y. (2018). A Comparative Study of Standardized Infinity Reference and Average Reference for EEG of Three Typical Brain States. *Frontiers in Neuroscience*, 12, 158. <http://doi.org/10.3389/fnins.2018.00158>
223. Barry, R. J., & De Blasio, F. M. (2017). EEG differences between eyes-closed and eyes-open resting remain in healthy ageing. *Biological Psychology*, 129. <http://doi.org/10.1016/j.biopsycho.2017.09.010>
224. Niedermeyer, E. (2004). The Electroencephalogram. *Clinical EEG and Neuroscience*, 35(2), 112–115. <http://doi.org/10.1177/155005940403500213>
225. Lee, S. M., Jang, K. I., & Chae, J. H. (2017). Electroencephalographic Correlates of Suicidal Ideation in the Theta Band. *Clinical EEG and Neuroscience*, 48(5), 316–321. <http://doi.org/10.1177/1550059417692083>
226. Liao, Y.-C., Guo, N.-W., Chen, S.-J., Tsai, H.-F., Fang, J.-H., Chen, J.-J., & Su, B.-Y. (2018). The Significance of Impulsive Error in Children With ADHD. *Clinical EEG and Neuroscience*, 49(5), 295–301. <http://doi.org/10.1177/1550059417742297>
227. Todder, D., Levine, J., Abujumah, A., Mater, M., Cohen, H., & Kaplan, Z. (2012). The Quantitative Electroencephalogram and the Low-Resolution Electrical Tomographic Analysis in Posttraumatic Stress Disorder. *Clinical EEG and Neuroscience*, 43(1), 48–53. <http://doi.org/10.1177/1550059411428716>
228. Sueyoshi, K., & Sumiyoshi, T. (2018). Electrophysiological Markers of Motivation in Psychosis. *Clinical EEG and Neuroscience*, 49(1), 8–11. <http://doi.org/10.1177/1550059417745933>
229. Fingelkurts, A. A., & Fingelkurts, A. A. (2017). Longitudinal Dynamics of 3-Dimensional Components of Selfhood After Severe Traumatic Brain Injury: A qEEG Case Study. *Clinical EEG and Neuroscience*, 48(5), 327–337. <http://doi.org/10.1177/1550059417696180>
230. Johnson, J. D., Allana, T. N., Medlin, M. D., Harris, E. W., & Karl, A. (2013). Meta-Analytic Review of P3 Components in Posttraumatic Stress Disorder and Their Clinical Utility. *Clinical EEG and Neuroscience*, 44(2), 112–134. <http://doi.org/10.1177/1550059412469742>
231. HajiHosseini, A., & Holroyd, C. B. (2015). Sensitivity of frontal beta oscillations to reward valence but not probability. *Neuroscience Letters*, 602, 99–103. <http://doi.org/10.1016/j.neulet.2015.06.054>
232. Farzan, F., Vernet, M., Shafi, M. M. D., Rotenberg, A., Daskalakis, Z. J., & Pascual-Leone, A. (2016). Characterizing and Modulating Brain Circuitry through Transcranial Magnetic Stimulation Combined with Electroencephalography. *Frontiers in Neural Circuits*, 10, 73. <http://doi.org/10.3389/fncir.2016.00073>
233. Fox, N. A. (1991). If it's not left, it's right. Electroencephalograph asymmetry and the development of emotion. *The American Psychologist*, 46(8), 863–72. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/1928939>
234. Papousek, I., Aydin, N., Rominger, C., Feyaerts, K., Schmid-Zalaudek, K., Lackner, H. K., ... Weiss, E. M. (2018). DSM-5 personality trait domains and withdrawal

- versus approach motivational tendencies in response to the perception of other people's desperation and angry aggression. *Biological Psychology*, 132, 106–115.
<http://doi.org/10.1016/j.biopsycho.2017.11.010>
235. Kepinska, O., Pereda, E., Caspers, J., & Schiller, N. O. (2017). Neural oscillatory mechanisms during novel grammar learning underlying language analytical abilities. *Brain and Language*, 175, 99–110. <http://doi.org/10.1016/j.bandl.2017.10.003>
 236. Wiedemann, G., Stevens, A., Pauli, P., & Dengler, W. (1998). Decreased duration and altered topography of electroencephalographic microstates in patients with panic disorder. *Psychiatry Research*, 84(1), 37–48. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9870416>
 237. Doruk, D., Simis, M., Imamura, M., Brunoni, A. R., Morales-Quezada, L., Anghinah, R., ... Battistella, L. R. (2016). Neurophysiologic Correlates of Post-stroke Mood and Emotional Control. *Frontiers in Human Neuroscience*, 10, 428. <http://doi.org/10.3389/fnhum.2016.00428>
 238. Tang, A., Lahat, A., Crowley, M. J., Wu, J., & Schmidt, L. A. (2018). Neurodevelopmental differences to social exclusion: An event-related neural oscillation study of children, adolescents, and adults. *Emotion*. <http://doi.org/10.1037/emo0000456>
 239. Misra, G., Wang, W.-E., Archer, D. B., Roy, A., & Coombes, S. A. (2017). Automated classification of pain perception using high-density electroencephalography data. *Journal of Neurophysiology*, 117(2), 786–795. <http://doi.org/10.1152/jn.00650.2016>
 240. Dittinger, E., Valizadeh, S. A., Jäncke, L., Besson, M., & Elmer, S. (2018). Increased functional connectivity in the ventral and dorsal streams during retrieval of novel words in professional musicians. *Human Brain Mapping*, 39(2), 722–734. <http://doi.org/10.1002/hbm.23877>
 241. Tombor, L., Kakuszi, B., Papp, S., Réthelyi, J., Bitter, I., & Czobor, P. (2018). Decreased resting gamma activity in adult attention deficit/hyperactivity disorder. *The World Journal of Biological Psychiatry*, 1–12. <http://doi.org/10.1080/15622975.2018.1441547>
 242. Gurau, O., Bosl, W. J., & Newton, C. R. (2017). How Useful Is Electroencephalography in the Diagnosis of Autism Spectrum Disorders and the Delineation of Subtypes: A Systematic Review. *Frontiers in Psychiatry*, 8, 121. <http://doi.org/10.3389/fpsy.2017.00121>
 243. Lega, B., Germe, J., & Rugg, M. D. (2017). Modulation of Oscillatory Power and Connectivity in the Human Posterior Cingulate Cortex Supports the Encoding and Retrieval of Episodic Memories. *Journal of Cognitive Neuroscience*, 29(8), 1415–1432. http://doi.org/10.1162/jocn_a_01133
 244. Saunders, A., Kirk, I. J., & Waldie, K. E. (2016). Hemispheric Coherence in ASD with and without Comorbid ADHD and Anxiety. *BioMed Research International*, 2016, 4267842. <http://doi.org/10.1155/2016/4267842>
 245. Jensen, O., & Vissers, M. E. (2017). Multiple visual objects are sampled sequentially. *PLOS Biology*, 15(7), e2003230. <http://doi.org/10.1371/journal.pbio.2003230>
 246. Hong, K.-S., & Khan, M. J. (2017). Hybrid Brain-Computer Interface Techniques for Improved Classification Accuracy and Increased Number of Commands: A Review. *Frontiers in Neurobotics*, 11, 35. <http://doi.org/10.3389/fnbot.2017.00035>

247. Palmwood, E. N., Kropf, J. W., & Simons, R. F. (2017). Electrophysiological indicators of inhibitory control deficits in depression. *Biological Psychology*, 130. <http://doi.org/10.1016/j.biopsycho.2017.10.001>
248. Cohen, D. J., Begley, A., Alman, J. J., Cashmere, D. J., Pietrone, R. N., Seres, R. J., & Germain, A. (2013). Quantitative electroencephalography during rapid eye movement (REM) and non-REM sleep in combat-exposed veterans with and without post-traumatic stress disorder. *Journal of Sleep Research*, 22(1), 76–82. <http://doi.org/10.1111/j.1365-2869.2012.01040.x>
249. Wang, G. Y., & Griskova-Bulanova, I. (2018). Electrophysiological activity is associated with vulnerability of Internet addiction in non-clinical population. *Addictive Behaviors*, 84, 33–39. <http://doi.org/10.1016/j.addbeh.2018.03.025>
250. Cheung, M., Law, D., & Yip, J. (2014). Evaluating Aesthetic Experience through Personal-Appearance Styles: A Behavioral and Electrophysiological Study. *PLoS ONE*, 9(12), e115112. <http://doi.org/10.1371/journal.pone.0115112>
251. Bentes, C., Peralta, A. R., Martins, H., Casimiro, C., Morgado, C., Franco, A. C., ... Ferro, J. M. (2017). Seizures, electroencephalographic abnormalities, and outcome of ischemic stroke patients. *Epilepsia Open*, 2(4), 441–452. <http://doi.org/10.1002/epi4.12075>
252. Park, J. H., Hong, J. S., Han, D. H., Min, K. J., Lee, Y. S., Kee, B. S., & Kim, S. M. (2017). Comparison of QEEG Findings between Adolescents with Attention Deficit Hyperactivity Disorder (ADHD) without Comorbidity and ADHD Comorbid with Internet Gaming Disorder. *Journal of Korean Medical Science*, 32(3), 514–521. <http://doi.org/10.3346/jkms.2017.32.3.514>
253. Berchio, C., Piguet, C., Gentsch, K., Küng, A.-L., Rihs, T. A., Hasler, R., ... Perroud, N. (2017). Face and gaze perception in borderline personality disorder: An electrical neuroimaging study. *Psychiatry Research: Neuroimaging*, 269, 62–72. <http://doi.org/10.1016/j.psychres.2017.08.011>
254. Michels, L., Muthuraman, M., Anwar, A. R., Kollias, S., Leh, S. E., Riese, F., ... Hock, C. (2017). Changes of Functional and Directed Resting-State Connectivity Are Associated with Neuronal Oscillations, ApoE Genotype and Amyloid Deposition in Mild Cognitive Impairment. *Frontiers in Aging Neuroscience*, 9, 304. <http://doi.org/10.3389/fnagi.2017.00304>
255. Kirino, E., Tanaka, S., Fukuta, M., Inami, R., Inoue, R., & Aoki, S. (2018). Functional Connectivity of the Caudate in Schizophrenia Evaluated with Simultaneous Resting-State Functional MRI and Electroencephalography Recordings. *Neuropsychobiology*, 1–11. <http://doi.org/10.1159/000490429>
256. Larsen, L. H., Jensen, T., Christensen, M. S., Lundbye-Jensen, J., Langberg, H., & Nielsen, J. B. (2016). Changes in corticospinal drive to spinal motoneurons following tablet-based practice of manual dexterity. *Physiological Reports*, 4(2). <http://doi.org/10.14814/phy2.12684>
257. Li, P., Fu, X., Smith, N. A., Ziobro, J., Curiel, J., Tenga, M. J., ... Liu, J. S. (2017). Loss of CLOCK Results in Dysfunction of Brain Circuits Underlying Focal Epilepsy. *Neuron*, 96(2). <http://doi.org/10.1016/j.neuron.2017.09.044>
258. Marquardt, L., Eichele, H., Lundervold, A. J., Haavik, J., & Eichele, T. (2018). Event-Related-Potential (ERP) Correlates of Performance Monitoring in Adults With

- Attention-Deficit Hyperactivity Disorder (ADHD). *Frontiers in Psychology*, 9, 485. <http://doi.org/10.3389/fpsyg.2018.00485>
259. Marx, A.-M., Ehrlis, A.-C., Furdea, A., Holtmann, M., Banaschewski, T., Brandeis, D., ... Strehl, U. (2015). Near-infrared spectroscopy (NIRS) neurofeedback as a treatment for children with attention deficit hyperactivity disorder (ADHD)â€”a pilot study. *Frontiers in Human Neuroscience*, 8, 1038. <http://doi.org/10.3389/fnhum.2014.01038>
 260. Jensen, M. P., Sherlin, L. H., Askew, R. L., Fregni, F., Witkop, G., Gianas, A., ... Hakimian, S. (2013). Effects of non-pharmacological pain treatments on brain states. *Clinical Neurophysiology : Official Journal of the International Federation of Clinical Neurophysiology*, 124(10), 2016–24. <http://doi.org/10.1016/j.clinph.2013.04.009>
 261. Ellis, A. J., Salgari, G., Miklowitz, D., & Loo, S. K. (2018). Is distress tolerance an approach behavior? An examination of frontal alpha asymmetry and distress tolerance in adolescents. *Psychiatry Research*, 267, 210–214. <http://doi.org/10.1016/j.psychres.2018.05.083>
 262. Batur, G., Pratt, H., Frenkel-Toledo, S., & Soroker, N. (2018). Neurophysiological effects of mirror visual feedback in stroke patients with unilateral hemispheric damage. *Brain Research*, 1700, 170–180. <http://doi.org/10.1016/j.brainres.2018.09.003>
 263. Chrapusta, A., P chalska, M., Wilk-Fra czuk, M., Starczy nska, M., & Kropotov, J. D. (2015). Evaluation of the effectiveness of neurofeedback in the reduction of Posttraumatic stress disorder (PTSD) in a patient following high-voltage electric shock with the use of ERPs. *Annals of Agricultural and Environmental Medicine : AAEM*, 22(3), 556–63. <http://doi.org/10.5604/12321966.1167734>
 264. Perrey, S. (2018). Brain activation associated with eccentric movement: A narrative review of the literature. *European Journal of Sport Science*, 18(1), 75–82. <http://doi.org/10.1080/17461391.2017.1391334>
 265. Lewis, L. D., Piantoni, G., Peterfreund, R. A., Eskandar, E. N., Harrell, P. G., Akeju, O., ... Purdon, P. L. (2018). A transient cortical state with sleep-like sensory responses precedes emergence from general anesthesia in humans. *ELife*, 7. <http://doi.org/10.7554/eLife.33250>
 266. Shahaf, G., Nitzan, U., Erez, G., Mendelovic, S., & Bloch, Y. (2018). Monitoring Attention in ADHD with an Easy-to-Use Electrophysiological Index. *Frontiers in Human Neuroscience*, 12, 32. <http://doi.org/10.3389/fnhum.2018.00032>
 267. Khosrowabadi, R. (2018). Stress and Perception of Emotional Stimuli: Long-term Stress Rewiring the Brain. *Basic and Clinical Neuroscience*, 9(2), 107–120. <http://doi.org/10.29252/NIRP.BCN.9.2.107>
 268. Mehrkanoon, S., Breakspear, M., Britz, J., & Boonstra, T. W. (2014). Intrinsic coupling modes in source-reconstructed electroencephalography. *Brain Connectivity*, 4(10), 812–25. <http://doi.org/10.1089/brain.2014.0280>
 269. Smits, F. M., Porcaro, C., Cottone, C., Cancelli, A., Rossini, P. M., & Tecchio, F. (2016). Electroencephalographic Fractal Dimension in Healthy Ageing and Alzheimer’s Disease. *PloS One*, 11(2), e0149587. <http://doi.org/10.1371/journal.pone.0149587>
 270. Rotem-Kohavi, N., Oberlander, T. F., & Virji-Babul, N. (2017). Infants and adults have similar regional functional brain organization for the perception of emotions. *Neuroscience Letters*, 650, 118–125. <http://doi.org/10.1016/j.neulet.2017.04.031>

271. Pfurtscheller, G., Stancák, A., & Neuper, C. (1996). Event-related synchronization (ERS) in the alpha band — an electrophysiological correlate of cortical idling: A review. *International Journal of Psychophysiology*, 24(1), 39–46. [http://doi.org/10.1016/S0167-8760\(96\)00066-9](http://doi.org/10.1016/S0167-8760(96)00066-9)
272. Luca, G., Bandarabadi, M., Konofal, E., Lecendreux, M., Ferrié, L., Figadère, B., & Tafti, M. (2018). Lauflumide (NLS-4) Is a New Potent Wake-Promoting Compound. *Frontiers in Neuroscience*, 12, 519. <http://doi.org/10.3389/fnins.2018.00519>
273. Ragazzoni, A., Cincotta, M., Giovannelli, F., Cruse, D., Young, G. B., Miniussi, C., & Rossi, S. (2017). Clinical neurophysiology of prolonged disorders of consciousness: From diagnostic stimulation to therapeutic neuromodulation. *Clinical Neurophysiology*, 128(9), 1629–1646. <http://doi.org/10.1016/j.clinph.2017.06.037>
274. Sumner, R. L., McMillan, R. L., Shaw, A. D., Singh, K. D., Sundram, F., & Muthukumaraswamy, S. D. (2018). Peak visual gamma frequency is modified across the healthy menstrual cycle. *Human Brain Mapping*, 39(8), 3187–3202. <http://doi.org/10.1002/hbm.24069>
275. Houmani, N., Vialatte, F., Gallego-Jutglà, E., Dreyfus, G., Nguyen-Michel, V.-H., Mariani, J., & Kinugawa, K. (2018). Diagnosis of Alzheimer's disease with Electroencephalography in a differential framework. *PloS One*, 13(3), e0193607. <http://doi.org/10.1371/journal.pone.0193607>
276. Bashiri, A., Shahmoradi, L., Beigy, H., Savareh, B. A., Nosratabadi, M., N Kalhori, S. R., & Ghazisaeedi, M. (2018). No Title, 4(5), FSO292. <http://doi.org/10.4155/fsoa-2017-0138>
277. Pivik, R. T. (1991). Smooth pursuit eye tracking dysfunction in schizophrenia: subcortical implications. *Journal of Psychiatry & Neuroscience : JPN*, 16(3), 123–30. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/1958645>
278. Popov, T., Kustermann, T., Popova, P., Miller, G. A., & Rockstroh, B. (2018). Oscillatory brain dynamics supporting impaired Stroop task performance in schizophrenia-spectrum disorder. *Schizophrenia Research*. <http://doi.org/10.1016/j.schres.2018.08.026>
279. Gapen, M., van der Kolk, B. A., Hamlin, E., Hirshberg, L., Suvak, M., & Spinazzola, J. (2016). A Pilot Study of Neurofeedback for Chronic PTSD. *Applied Psychophysiology and Biofeedback*, 41(3), 251–261. <http://doi.org/10.1007/s10484-015-9326-5>
280. Muthuraman, M., Tamás, G., Hellriegel, H., Deuschl, G., & Raethjen, J. (2012). Source analysis of beta-synchronisation and cortico-muscular coherence after movement termination based on high resolution electroencephalography. *PloS One*, 7(3), e33928. <http://doi.org/10.1371/journal.pone.0033928>
281. Decker, S. L., Roberts, A. M., Green, J. J., & Foster, D. S. (2015). *Z Score Neurofeedback*. Elsevier. <http://doi.org/10.1016/B978-0-12-801291-8.00003-0>
282. Khaleghi, A., Zarafshan, H., & Mohammadi, M. R. (2018). Visual and auditory steady-state responses in attention-deficit/hyperactivity disorder. *European Archives of Psychiatry and Clinical Neuroscience*. <http://doi.org/10.1007/s00406-018-0902-6>
283. Clemans, Z. A., El-Baz, A. S., Hollifield, M., & Sokhadze, E. M. (2012). Single trial time–frequency domain analysis of error processing in post-traumatic stress disorder. *Neuroscience Letters*, 525(2), 105–110. <http://doi.org/10.1016/j.neulet.2012.07.051>

284. Zhang, X., Bachmann, P., Schilling, T. M., Naumann, E., Schächinger, H., & Larra, M. F. (2018). Emotional stress regulation: The role of relative frontal alpha asymmetry in shaping the stress response. *Biological Psychology*. <http://doi.org/10.1016/j.biopsycho.2018.08.007>
285. Díez, Á., Ranlund, S., Pinotsis, D., Calafato, S., Shaikh, M., Hall, M.-H., ... Bramon, E. (2017). Abnormal frontoparietal synaptic gain mediating the P300 in patients with psychotic disorder and their unaffected relatives. *Human Brain Mapping*, 38(6), 3262–3276. <http://doi.org/10.1002/hbm.23588>
286. Herrera-Arcos, G., Tamez-Duque, J., Acosta-De-Anda, E. Y., Kwan-Loo, K., de-Alba, M., Tamez-Duque, U., ... Soto, R. (2017). Modulation of Neural Activity during Guided Viewing of Visual Art. *Frontiers in Human Neuroscience*, 11, 581. <http://doi.org/10.3389/fnhum.2017.00581>
287. Gow, D. W., & Ahlfors, S. P. (2017). Tracking reorganization of large-scale effective connectivity in aphasia following right hemisphere stroke. *Brain and Language*, 170, 12–17. <http://doi.org/10.1016/j.bandl.2017.03.003>
288. Farina, B., Della Marca, G., Maestoso, G., Amoroso, N., Valenti, E. M., Carbone, G. A., ... Imperatori, C. (2018). The Association among Default Mode Network Functional Connectivity, Mentalization, and Psychopathology in a Nonclinical Sample: An eLORETA Study. *Psychopathology*, 51(1), 16–23. <http://doi.org/10.1159/000485517>
289. Pinheiro, E. S. dos S., de Queirós, F. C., Montoya, P., Santos, C. L., do Nascimento, M. A., Ito, C. H., ... Baptista, A. F. (2016). Electroencephalographic Patterns in Chronic Pain: A Systematic Review of the Literature. *PloS One*, 11(2), e0149085. <http://doi.org/10.1371/journal.pone.0149085>
290. Kobayashi, K., Akiyama, T., Agari, T., Sasaki, T., Shibata, T., Hanaoka, Y., ... Date, I. (2017). Significance of High-frequency Electrical Brain Activity. *Acta Medica Okayama*, 71(3), 191–200. <http://doi.org/10.18926/AMO/55201>
291. Val-Laillet, D., Aarts, E., Weber, B., Ferrari, M., Quaresima, V., Stoeckel, L. E., ... Stice, E. (2015). Neuroimaging and neuromodulation approaches to study eating behavior and prevent and treat eating disorders and obesity. *NeuroImage: Clinical*, 8, 1–31. <http://doi.org/10.1016/j.nicl.2015.03.016>
292. Han, J., Zeng, K., Kang, J., Tong, Z., Cai, E., Chen, H., ... Li, X. (2017). Development of Brain Network in Children with Autism from Early Childhood to Late Childhood. *Neuroscience*, 367. <http://doi.org/10.1016/j.neuroscience.2017.10.015>
293. Chibane, I. S., Boucher, O., Dubeau, F., Tran, T. P. Y., Mohamed, I., McLachlan, R., ... Nguyen, D. K. (2017). Orbitofrontal epilepsy: Case series and review of literature. *Epilepsy and Behavior*, 76, 32–38. <http://doi.org/10.1016/j.yebeh.2017.08.038>
294. Wimmer, S., Lackner, H. K., Papousek, I., & Paechter, M. (2018). Goal Orientations and Activation of Approach Versus Avoidance Motivation While Awaiting an Achievement Situation in the Laboratory. *Frontiers in Psychology*, 9, 1552. <http://doi.org/10.3389/fpsyg.2018.01552>
295. Perchtold, C. M., Fink, A., Rominger, C., Weber, H., de Assunção, V. L., Schuler, G., ... Papousek, I. (2018). Reappraisal inventiveness: impact of appropriate brain activation during efforts to generate alternative appraisals on the perception of chronic stress in women. *Anxiety, Stress, and Coping*, 31(2), 206–221. <http://doi.org/10.1080/10615806.2017.1419205>

296. Strauß, M., Ulke, C., Paucke, M., Huang, J., Mauche, N., Sander, C., ... Hegerl, U. (2018). Brain arousal regulation in adults with attention-deficit/hyperactivity disorder (ADHD). *Psychiatry Research*, 261, 102–108.
<http://doi.org/10.1016/j.psychres.2017.12.043>
297. Conde, V., Andreasen, S. H., Petersen, T. H., Larsen, K. B., Madsen, K. H. K., Andersen, K. W., ... Siebner, H. R. (2017). Alterations in the brain's connectome during recovery from severe traumatic brain injury: protocol for a longitudinal prospective study. *BMJ Open*, 7(6), e016286. <http://doi.org/10.1136/bmjopen-2017-016286>
298. Farina, B., Imperatori, C., Quintiliani, M. I., Castelli Gattinara, P., Onofri, A., Lepore, M., ... Della Marca, G. (2015). Neurophysiological correlates of eye movement desensitization and reprocessing sessions: preliminary evidence for traumatic memories integration. *Clinical Physiology and Functional Imaging*, 35(6), 460–468.
<http://doi.org/10.1111/cpf.12184>
299. Schwartz, S., Kessler, R., Gaughan, T., & Buckley, A. W. (2017). Electroencephalogram Coherence Patterns in Autism: An Updated Review. *Pediatric Neurology*, 67, 7–22. <http://doi.org/10.1016/j.pediatrneurol.2016.10.018>
300. Khoshnoud, S., Shamsi, M., Nazari, M. A., & Makeig, S. (2018). Different cortical source activation patterns in children with attention deficit hyperactivity disorder during a time reproduction task. *Journal of Clinical and Experimental Neuropsychology*, 40(7), 633–649. <http://doi.org/10.1080/13803395.2017.1406897>
301. Fielenbach, S., Donkers, F. C. L., Spreen, M., Visser, H. A., & Bogaerts, S. (2017). Neurofeedback Training for Psychiatric Disorders Associated with Criminal Offending: A Review. *Frontiers in Psychiatry*, 8, 313.
<http://doi.org/10.3389/fpsy.2017.00313>
302. Grissmann, S., Faller, J., Scharinger, C., Spüler, M., & Gerjets, P. (2017). Electroencephalography Based Analysis of Working Memory Load and Affective Valence in an N-back Task with Emotional Stimuli. *Frontiers in Human Neuroscience*, 11, 616. <http://doi.org/10.3389/fnhum.2017.00616>
303. Gram, M., Erlenwein, J., Petzke, F., Falla, D., Przemeck, M., Emons, M. I., ... Drewes, A. M. (2017). No Title, 12(10), e0186400.
<http://doi.org/10.1371/journal.pone.0186400>
304. Tu, T., Schneck, N., Muraskin, J., & Sajda, P. (2017). Network Configurations in the Human Brain Reflect Choice Bias during Rapid Face Processing. *The Journal of Neuroscience : The Official Journal of the Society for Neuroscience*, 37(50), 12226–12237. <http://doi.org/10.1523/JNEUROSCI.1677-17.2017>
305. Stavropoulos, K. K.-M., & Carver, L. J. (2018). Oscillatory rhythm of reward: anticipation and processing of rewards in children with and without autism. *Molecular Autism*, 9, 4. <http://doi.org/10.1186/s13229-018-0189-5>
306. Pigott, H. E., Cannon, R., & Trullinger, M. (2018). The Fallacy of Sham-Controlled Neurofeedback Trials: A Reply to Thibault and Colleagues (2018). *Journal of Attention Disorders*, 108705471879080. <http://doi.org/10.1177/1087054718790802>
307. Tu-Chan, A. P., Natraj, N., Godlove, J., Abrams, G., & Ganguly, K. (2017). Effects of somatosensory electrical stimulation on motor function and cortical oscillations. *Journal of NeuroEngineering and Rehabilitation*, 14(1), 113.
<http://doi.org/10.1186/s12984-017-0323-1>

308. Karlinsky, A., Zentgraf, K., & Hodges, N. J. (2017). Action-skilled observation: Issues for the study of sport expertise and the brain. In *Progress in brain research* (Vol. 234, pp. 263–289). <http://doi.org/10.1016/bs.pbr.2017.08.009>
309. Kim, Y. K., Park, E., Lee, A., Im, C.-H., & Kim, Y.-H. (2018). Changes in network connectivity during motor imagery and execution. *PLOS ONE*, 13(1), e0190715. <http://doi.org/10.1371/journal.pone.0190715>
310. Tombor, L., Kakuszi, B., Papp, S., Réthelyi, J., Bitter, I., & Czobor, P. (2018). Decreased resting gamma activity in adult attention deficit/hyperactivity disorder. *World Journal of Biological Psychiatry*, 0(0), 1–12. <http://doi.org/10.1080/15622975.2018.1441547>
311. Hietanen, J. K., Leppänen, J. M., Peltola, M. J., Linna-aho, K., & Ruuhiala, H. J. (2008). Seeing direct and averted gaze activates the approach–avoidance motivational brain systems. *Neuropsychologia*, 46(9), 2423–2430. <http://doi.org/10.1016/j.neuropsychologia.2008.02.029>
312. Myers, L., Vaidya-Mathur, U., & Lancman, M. (2017). Prolonged exposure therapy for the treatment of patients diagnosed with psychogenic non-epileptic seizures (PNES) and post-traumatic stress disorder (PTSD). *Epilepsy & Behavior*, 66, 86–92. <http://doi.org/10.1016/j.yebeh.2016.10.019>
313. Cardinale, R., O'Donnell, L., Chun, J., Park, J., Kross, E., Kamali, M., ... Deldin, P. (2018). A Preliminary Study of Central Nervous System Arousal and Sleep Quality in Bipolar Disorder. *Psychopathology*, 1–7. <http://doi.org/10.1159/000489679>
314. Fitzgerald, P. J., & Watson, B. O. (2018). Gamma oscillations as a biomarker for major depression: an emerging topic. *Translational Psychiatry*, 8(1), 177. <http://doi.org/10.1038/s41398-018-0239-y>
315. Esslen, M., Pascual-Marqui, R. ., Hell, D., Kochi, K., & Lehmann, D. (2004). Brain areas and time course of emotional processing. *NeuroImage*, 21(4), 1189–1203. <http://doi.org/10.1016/j.neuroimage.2003.10.001>
316. Howells, F. M., Temmingh, H. S., Hsieh, J. H., van Dijen, A. V., Baldwin, D. S., & Stein, D. J. (2018). Electroencephalographic delta/alpha frequency activity differentiates psychotic disorders: a study of schizophrenia, bipolar disorder and methamphetamine-induced psychotic disorder. *Translational Psychiatry*, 8(1), 75. <http://doi.org/10.1038/s41398-018-0105-y>
317. Ghosh Hajra, S., Liu, C. C., Song, X., Fickling, S. D., Cheung, T. P. L., & D'Arcy, R. C. N. (2018). Multimodal characterization of the semantic N400 response within a rapid evaluation brain vital sign framework. *Journal of Translational Medicine*, 16(1), 151. <http://doi.org/10.1186/s12967-018-1527-2>
318. Pournazari, P., Oqab, Z., & Sheldon, R. (2017). Diagnostic Value of Neurological Studies in Diagnosing Syncope: A Systematic Review. *Canadian Journal of Cardiology*, 33(12), 1604–1610. <http://doi.org/10.1016/j.cjca.2017.04.004>
319. Naro, A., Leo, A., Bruno, R., Cannavò, A., Buda, A., Manuli, A., ... Calabrò, R. S. (2017). Reducing the rate of misdiagnosis in patients with chronic disorders of consciousness: Is there a place for audiovisual stimulation? *Restorative Neurology and Neuroscience*, 35(5), 511–526. <http://doi.org/10.3233/RNN-170741>
320. George, N., & Conty, L. (2008). Facing the gaze of others. *Neurophysiologie Clinique/Clinical Neurophysiology*, 38(3), 197–207. <http://doi.org/10.1016/j.neucli.2008.03.001>

321. Gwin, J. T., & Ferris, D. P. (2012). Beta- and gamma-range human lower limb corticomuscular coherence. *Frontiers in Human Neuroscience*, 6, 258. <http://doi.org/10.3389/fnhum.2012.00258>
322. Smits, F. M., Porcaro, C., Cottone, C., Cancelli, A., Rossini, P. M., & Tecchio, F. (2016). Electroencephalographic Fractal Dimension in Healthy Ageing and Alzheimer's Disease. *PLOS ONE*, 11(2), e0149587. <http://doi.org/10.1371/journal.pone.0149587>
323. Stewart, J. L., & Allen, J. J. B. (2018). Resting frontal brain asymmetry is linked to future depressive symptoms in women. *Biological Psychology*, 136, 161–167. <http://doi.org/10.1016/j.biopsycho.2018.06.004>
324. Simon, D. M., Damiano, C. R., Woynaroski, T. G., Ibañez, L. V., Murias, M., Stone, W. L., ... Cascio, C. J. (2017). Neural Correlates of Sensory Hyporesponsiveness in Toddlers at High Risk for Autism Spectrum Disorder. *Journal of Autism and Developmental Disorders*, 47(9), 2710–2722. <http://doi.org/10.1007/s10803-017-3191-4>
325. Marshall, L., & Born, J. (2002). Brain-immune interactions in sleep. *International Review of Neurobiology*. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/12498102>
326. Spedden, M. E., Nielsen, J. B., & Geertsen, S. S. (2018). Oscillatory Corticospinal Activity during Static Contraction of Ankle Muscles Is Reduced in Healthy Old versus Young Adults. *Neural Plasticity*, 2018, 3432649. <http://doi.org/10.1155/2018/3432649>
327. Nicholson, A. A., Ros, T., Frewen, P. A., Densmore, M., Théberge, J., Kluetsch, R. C., ... Lanius, R. A. (2016). Alpha oscillation neurofeedback modulates amygdala complex connectivity and arousal in posttraumatic stress disorder. *NeuroImage: Clinical*, 12, 506–516. <http://doi.org/10.1016/j.nicl.2016.07.006>
328. Ros, T., Frewen, P., Théberge, J., Kluetsch, R., Mueller, A., Candrian, G., ... Lanius, R. A. (n.d.). Neurofeedback Tunes Long-Range Temporal Correlations in Spontaneous Brain Activity.
329. Myers, K. A., McPherson, R. E., Clegg, R., & Buchhalter, J. (2017). Sudden Death After Febrile Seizure Case Report: Cerebral Suppression Precedes Severe Bradycardia. *Pediatrics*, 140(5), e20162051. <http://doi.org/10.1542/peds.2016-2051>
330. Javanbakht, A., Liberzon, I., Amirsadri, A., Gjini, K., & Boutros, N. N. (2011). Event-related potential studies of post-traumatic stress disorder: a critical review and synthesis. *Biology of Mood & Anxiety Disorders*, 1(1), 5. <http://doi.org/10.1186/2045-5380-1-5>
331. Omi, T. (2018). Electroencephalography in the monitoring of lithium toxicity: A case report. *Journal of Clinical Pharmacy and Therapeutics*, 43(4), 584–586. <http://doi.org/10.1111/jcpt.12685>
332. Gruzelier, J. (2009). A theory of alpha/theta neurofeedback, creative performance enhancement, long distance functional connectivity and psychological integration. *Cognitive Processing*, 10 Suppl 1(S1), 101–109. <http://doi.org/10.1007/s10339-008-0248-5>
333. Park, D.-H., & Shin, C.-J. (2017). Asymmetrical Electroencephalographic Change of Human Brain During Sleep Onset Period. *Psychiatry Investigation*, 14(6), 839–843. <http://doi.org/10.4306/pi.2017.14.6.839>
334. EHLERS, C. L., Hurst, S., Phillips, E., Gilder, D. A., Dixon, M., Gross, A., ... Yehuda, R. (2006). Electrophysiological Responses to Affective Stimuli in American Indians Experiencing Trauma With and Without PTSD. *Annals of the New York Academy of Sciences*, 1071(1), 125–136. <http://doi.org/10.1196/annals.1364.011>

335. Cohen, J. E., Shalev, H., Admon, R., Hefetz, S., Gasho, C. J., Shachar, L. J., ... Friedman, A. (2013). Emotional brain rhythms and their impairment in post-traumatic patients. *Human Brain Mapping*, 34(6), 1344–1356. <http://doi.org/10.1002/hbm.21516>
336. De Pascalis, V., Sommer, K., & Scacchia, P. (2018). Resting Frontal Asymmetry and Reward Sensitivity Theory Motivational Traits. *Scientific Reports*, 8(1), 13154. <http://doi.org/10.1038/s41598-018-31404-7>
337. Siggiridou, E., Kimiskidis, V. K., & Kugiumtzis, D. (2017). Dimension reduction of frequency-based direct Granger causality measures on short time series. *Journal of Neuroscience Methods*, 289, 64–74. <http://doi.org/10.1016/j.jneumeth.2017.06.021>
338. Li, H., Zhao, Q., Huang, F., Cao, Q., Qian, Q., Johnstone, S. J., ... Sun, L. (2017). Increased Beta Activity Links to Impaired Emotional Control in ADHD Adults With High IQ. *Journal of Attention Disorders*, 108705471773912. <http://doi.org/10.1177/1087054717739120>
339. Vecchiato, G., Toppi, J., Maglione, A. G., Olejarczyk, E., Astolfi, L., Mattia, D., ... Babiloni, F. (2014). Neuroelectrical correlates of trustworthiness and dominance judgments related to the observation of political candidates. *Computational and Mathematical Methods in Medicine*, 2014, 434296. <http://doi.org/10.1155/2014/434296>
340. Elmer, S., Kühnis, J., Rauch, P., Abolfazl Valizadeh, S., & Jäncke, L. (2017). Functional connectivity in the dorsal stream and between bilateral auditory-related cortical areas differentially contribute to speech decoding depending on spectro-temporal signal integrity and performance. *Neuropsychologia*, 106(July), 398–406. <http://doi.org/10.1016/j.neuropsychologia.2017.10.030>
341. Crouch, B., Sommerlade, L., Veselcic, P., Riedel, G., Schelter, B., & Platt, B. (2018). Detection of time-, frequency- and direction-resolved communication within brain networks. *Scientific Reports*, 8(1), 1825. <http://doi.org/10.1038/s41598-018-19707-1>
342. Harper, J., Malone, S. M., & Iacono, W. G. (2017). Testing the effects of adolescent alcohol use on adult conflict-related theta dynamics. *Clinical Neurophysiology*, 128(11), 2358–2368. <http://doi.org/10.1016/j.clinph.2017.08.019>
343. Long, J., Tazoe, T., Soteropoulos, D. S., & Perez, M. A. (2016). Interhemispheric connectivity during bimanual isometric force generation. *Journal of Neurophysiology*, 115(3), 1196–207. <http://doi.org/10.1152/jn.00876.2015>
344. Kammermeier, S., Singh, A., & Bötzel, K. (2017). Intermediate Latency-Evoked Potentials of Multimodal Cortical Vestibular Areas: Galvanic Stimulation. *Frontiers in Neurology*, 8, 587. <http://doi.org/10.3389/fneur.2017.00587>
345. van der Kolk, B. A., Hodgdon, H., Gapen, M., Musicaro, R., Suvak, M. K., Hamlin, E., & Spinazzola, J. (2016). A Randomized Controlled Study of Neurofeedback for Chronic PTSD. *PloS One*, 11(12), e0166752. <http://doi.org/10.1371/journal.pone.0166752>
346. Lu, J., Guo, S., Chen, M., Wang, W., Yang, H., Guo, D., & Yao, D. (2018). Generate the scale-free brain music from BOLD signals. *Medicine*, 97(2), e9628. <http://doi.org/10.1097/MD.00000000000009628>
347. Morales, J. M., Díaz-Piedra, C., Rieiro, H., Roca-González, J., Romero, S., Catena, A., ... Di Stasi, L. L. (2017). Monitoring driver fatigue using a single-channel electroencephalographic device: A validation study by gaze-based, driving performance,

- and subjective data. *Accident Analysis & Prevention*, 109, 62–69.
<http://doi.org/10.1016/j.aap.2017.09.025>
348. Jokić-Begić, N., & Begić, D. (2003). Quantitative electroencephalogram (qEEG) in combat veterans with post-traumatic stress disorder (PTSD). *Nordic Journal of Psychiatry*, 57(5), 351–355. <http://doi.org/10.1080/08039480310002688>
 349. Rajan, A., Siegel, S. N., Liu, Y., Bengson, J., Mangun, G. R., & Ding, M. (2018). Theta Oscillations Index Frontal Decision-Making and Mediate Reciprocal Frontal–Parietal Interactions in Willed Attention. *Cerebral Cortex*.
<http://doi.org/10.1093/cercor/bhy149>
 350. Hassan, M. A., Fraser, M., Conway, B. A., Allan, D. B., & Vuckovic, A. (2015). The mechanism of neurofeedback training for treatment of central neuropathic pain in paraplegia: a pilot study. *BMC Neurology*, 15, 200. <http://doi.org/10.1186/s12883-015-0445-7>
 351. Machado, C., Estévez, M., Leisman, G., Melillo, R., Rodríguez, R., DeFina, P., ... Beltrán, C. (2015). QEEG spectral and coherence assessment of autistic children in three different experimental conditions. *Journal of Autism and Developmental Disorders*, 45(2), 406–24. <http://doi.org/10.1007/s10803-013-1909-5>
 352. van der Vinne, N., Vollebregt, M. A., van Putten, M. J. A. M., & Arns, M. (2017). Frontal alpha asymmetry as a diagnostic marker in depression: Fact or fiction? A meta-analysis. *NeuroImage: Clinical*, 16(April), 79–87.
<http://doi.org/10.1016/j.nicl.2017.07.006>
 353. Waberski, T. D., Gobbelé, R., Darvas, F., Schmitz, S., & Buchner, H. (2002). Spatiotemporal imaging of electrical activity related to attention to somatosensory stimulation. *NeuroImage*, 17(3), 1347–57. Retrieved from
<http://www.ncbi.nlm.nih.gov/pubmed/12414274>
 354. Zama, T., & Shimada, S. (2015). Simultaneous measurement of electroencephalography and near-infrared spectroscopy during voluntary motor preparation. *Scientific Reports*, 5, 16438. <http://doi.org/10.1038/srep16438>
 355. Bayat, A., Joshi, S., Jahan, S., Connell, P., Tsuchiya, K., Chau, D., ... Koubeissi, M. Z. (2018). A pilot study of the role of the claustrum in attention and seizures in rats. *Epilepsy Research*, 140, 97–104. <http://doi.org/10.1016/j.eplepsyres.2018.01.006>
 356. de Tommaso, M., Trotta, G., Vecchio, E., Ricci, K., Siugzdaite, R., & Stramaglia, S. (2017). Brain networking analysis in migraine with and without aura. *Journal of Headache and Pain*, 18(1), 98. <http://doi.org/10.1186/s10194-017-0803-5>
 357. Thompson, C., & Ong, E. L. C. (2018). The Association Between Suicidal Behavior, Attentional Control, and Frontal Asymmetry. *Frontiers in Psychiatry*, 9, 79. <http://doi.org/10.3389/fpsy.2018.00079>
 358. Hudson, A. E. (2017). Metastability of Neuronal Dynamics during General Anesthesia: Time for a Change in Our Assumptions? *Frontiers in Neural Circuits*, 11, 58. <http://doi.org/10.3389/fncir.2017.00058>
 359. Malver, L. P., Brokjaer, A., Staahl, C., Graversen, C., Andresen, T., & Drewes, A. M. (2014). Electroencephalography and analgesics. *British Journal of Clinical Pharmacology*, 77(1), 72–95. <http://doi.org/10.1111/bcp.12137>
 360. Koirala, G. R., Lee, D., Eom, S., Kim, N.-Y. Y., & Kim, H. D. (2017). Altered brain functional connectivity induced by physical exercise may improve

- neuropsychological functions in patients with benign epilepsy. *Epilepsy and Behavior*, 76, 126–132. <http://doi.org/10.1016/j.yebeh.2017.06.021>
361. Li, Y., Wang, S., Pan, C., Xue, F., Xian, J., Huang, Y., ... He, H. (2018). Comparison of NREM sleep and intravenous sedation through local information processing and whole brain network to explore the mechanism of general anesthesia. *PLOS ONE*, 13(2), e0192358. <http://doi.org/10.1371/journal.pone.0192358>
 362. Reiser, E. M., Weiss, E. M., Schuster, G., Holmes, E. A., Fink, A., & Papousek, I. (2014). Prefrontal-posterior coupling while observing the suffering of other people, and the development of intrusive memories. *Psychophysiology*, 51(6), 546–55. <http://doi.org/10.1111/psyp.12197>
 363. Wang, J.-R. R., & Hsieh, S. (2013). Neurofeedback training improves attention and working memory performance. *Clinical Neurophysiology*, 124(12), 2406–2420. <http://doi.org/10.1016/j.clinph.2013.05.020>
 364. Zhang, Z., Telesford, Q. K., Giusti, C., Lim, K. O., & Bassett, D. S. (2015). Choosing Wavelet Methods, Filters, and Lengths for Functional Brain Network Construction.
 365. Vanneste, S., To, W. T., & De Ridder, D. (2019). Tinnitus and neuropathic pain share a common neural substrate in the form of specific brain connectivity and microstate profiles. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 88, 388–400. <http://doi.org/10.1016/j.pnpbp.2018.08.015>
 366. Grooms, J. K., Thompson, G. J., Pan, W.-J., Billings, J., Schumacher, E. H., Epstein, C. M., & Keilholz, S. D. (2017). No Title, 7(5), 265–280. <http://doi.org/10.1089/brain.2017.0492>
 367. Yan, P., Melman, T., Yan, S., Otgonsuren, M., & Grinspan, Z. (2017). Evaluation of a novel median power spectrogram for seizure detection by non-neurophysiologists. *Seizure*, 50, 109–117. <http://doi.org/10.1016/j.seizure.2017.06.016>
 368. Arakaki, X., Shoga, M., Li, L., Zouridakis, G., Tran, T., Fonteh, A. N., ... Harrington, M. G. (2018). Alpha desynchronization/synchronization during working memory testing is compromised in acute mild traumatic brain injury (mTBI). *PLOS ONE*, 13(2), e0188101. <http://doi.org/10.1371/journal.pone.0188101>
 369. Philips, G. R., Daly, J. J., & Principe, J. C. (2017). Topographical measures of functional connectivity as biomarkers for post-stroke motor recovery. *Journal of NeuroEngineering and Rehabilitation*, 14(1), 67. <http://doi.org/10.1186/s12984-017-0277-3>
 370. Rosen, A., & Reiner, M. (2017). Right frontal gamma and beta band enhancement while solving a spatial puzzle with insight. *International Journal of Psychophysiology*, 122, 50–55. <http://doi.org/10.1016/j.ijpsycho.2016.09.008>
 371. Aldemir, R., Demirci, E., Bayram, A. K., Canpolat, M., Ozmen, S., Per, H., & Tokmakci, M. (2018). Evaluation of Two Types of Drug Treatment with QEEG in Children with ADHD. *Translational Neuroscience*, 9, 106–116. <http://doi.org/10.1515/tnsci-2018-0017>
 372. Moore, R. A., Mills, M., Marshman, P., & Corr, P. (2017). Group and individual analyses of pre-, peri-, and post-movement related alpha and beta oscillations during a single continuous monitoring task. *International Journal of Psychophysiology*, 120, 108–117. <http://doi.org/10.1016/j.ijpsycho.2017.07.009>

373. Igoshina, T. V, Kotrovskaya, T. I., Bubeev, Y. A., Schastlivtseva, D. V, & Potapov, A. V. (2014). [Practicing subnarcotic xenon dose inhalation in spa treatment of posttraumatic stress-induced disorders]. *Aviakosmicheskaja i Ekologicheskaja Meditsina = Aerospace and Environmental Medicine*, 48(5), 58–63. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/26036001>
374. Frauscher, B., Bartolomei, F., Kobayashi, K., Cimbalk, J., van 't Klooster, M. A., Rampp, S., ... Gotman, J. (2017). High-frequency oscillations: The state of clinical research. *Epilepsia*, 58(8), 1316–1329. <http://doi.org/10.1111/epi.13829>
375. Fitzgerald, J. M., MacNamara, A., DiGangi, J. A., Kennedy, A. E., Rabinak, C. A., Patwell, R., ... Phan, K. L. (2016). An electrocortical investigation of voluntary emotion regulation in combat-related posttraumatic stress disorder. *Psychiatry Research: Neuroimaging*, 249, 113–121. <http://doi.org/10.1016/j.pscychresns.2015.12.001>
376. Beck, R. W., Laugharne, J., Laugharne, R., Woldman, W., McLean, B., Mastropasqua, C., ... Shankar, R. (2017). Abnormal cortical asymmetry as a target for neuromodulation in neuropsychiatric disorders: A narrative review and concept proposal. *Neuroscience and Biobehavioral Reviews*. <http://doi.org/10.1016/j.neubiorev.2017.09.025>
377. Arns, M., Vollebregt, M. A., Palmer, D., Spooner, C., Gordon, E., Kohn, M., ... Buitelaar, J. K. (2018). Electroencephalographic biomarkers as predictors of methylphenidate response in attention-deficit/hyperactivity disorder. *European Neuropsychopharmacology*, 28(8), 881–891. <http://doi.org/10.1016/j.euroneuro.2018.06.002>
378. Saunders, N., Downham, R., Turman, B., Kropotov, J., Clark, R., Yumash, R., & Szatmari, A. (2015). Working memory training with tDCS improves behavioral and neurophysiological symptoms in pilot group with post-traumatic stress disorder (PTSD) and with poor working memory. *Neurocase*, 21(3), 271–278. <http://doi.org/10.1080/13554794.2014.890727>
379. Xiao, R., Shida-Tokeshi, J., Vanderbilt, D. L., & Smith, B. A. (2018). No Title, 13(1), e0190276. <http://doi.org/10.1371/journal.pone.0190276>
380. Compton, R. J., Heaton, E. C., & Gaines, A. (2018). Is attention enhanced following performance errors? Testing the adaptive control hypothesis. *Psychophysiology*, 55(4). <http://doi.org/10.1111/psyp.13022>
381. Chang, E.-T., Huang, C.-Y., & Lai, H.-L. (2018). Differences Between Sleep Logs and Actigraphy Combined With Electroencephalography in Adults With Sleep Disturbances. *Biological Research For Nursing*, 20(1), 77–83. <http://doi.org/10.1177/1099800417725599>
382. Shankman, S. A., Silverstein, S. M., Williams, L. M., Hopkinson, P. J., Kemp, A. H., Felmingham, K. L., ... Clark, C. R. (2008). Resting electroencephalogram asymmetry and posttraumatic stress disorder. *Journal of Traumatic Stress*, 21(2), 190–198. <http://doi.org/10.1002/jts.20319>
383. Shim, M., Im, C.-H., & Lee, S.-H. (2017). Disrupted cortical brain network in post-traumatic stress disorder patients: a resting-state electroencephalographic study. *Translational Psychiatry*, 7(9). <http://doi.org/10.1038/tp.2017.200>
384. Degabriele, R., Lagopoulos, J., & Malhi, G. (2011). Neural correlates of emotional face processing in bipolar disorder: An event-related potential study. *Journal of Affective Disorders*, 133(1–2), 212–220. <http://doi.org/10.1016/j.jad.2011.03.033>

385. Kurth, S., Riedner, B. A., Dean, D. C., O'Muircheartaigh, J., Huber, R., Jenni, O. G., ... LeBourgeois, M. K. (2017). Traveling Slow Oscillations During Sleep: A Marker of Brain Connectivity in Childhood. *Sleep*, 40(9). <http://doi.org/10.1093/sleep/zsx121>
386. Wu, C. C., Hamm, J. P., Lim, V. K., & Kirk, I. J. (2017). Musical training increases functional connectivity, but does not enhance mu suppression. *Neuropsychologia*, 104, 223–233. <http://doi.org/10.1016/j.neuropsychologia.2017.08.029>
387. Faber, J., Vladyka, V., Subrt, O., Kvasnicka, J., Preiss, J., Masopust, J., ... al., et. (1993). [Detection of cerebropathy in neurologic and psychiatric diseases]. *Cesk Psychiatr*. Retrieved from http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8353828 LA - cze%5Cnhttp://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8353828
388. Proulx, N., Samadani, A.-A., & Chau, T. (2018). Quantifying fast optical signal and event-related potential relationships during a visual oddball task. *NeuroImage*, 178, 119–128. <http://doi.org/10.1016/j.neuroimage.2018.05.031>
389. Sokhadze, E. M., Tasman, A., Tamas, R., & El-Mallakh, R. S. (2011). Event-related Potential Study of the Effects of Emotional Facial Expressions on Task Performance in Euthymic Bipolar Patients. *Applied Psychophysiology and Biofeedback*, 36(1), 1–13. <http://doi.org/10.1007/s10484-010-9140-z>
390. Jensen, P., Jensen, N. J., Terkildsen, C. U., Choi, J. T., Nielsen, J. B., & Geertsen, S. S. (2018). Increased central common drive to ankle plantar flexor and dorsiflexor muscles during visually guided gait. *Physiological Reports*, 6(3). <http://doi.org/10.14814/phy2.13598>
391. Arya, R., Peariso, K., Gáinza-Lein, M., Harvey, J., Bergin, A., Brenton, J. N., ... pediatric Status Epilepticus Research Group (pSERG). (2018). Efficacy and safety of ketogenic diet for treatment of pediatric convulsive refractory status epilepticus. *Epilepsy Research*, 144, 1–6. <http://doi.org/10.1016/j.eplepsyres.2018.04.012>
392. Lundin, N. B., Bartolomeo, L. A., O'Donnell, B. F., & Hetrick, W. P. (2018). Reduced electroencephalogram responses to standard and target auditory stimuli in bipolar disorder and the impact of psychotic features: Analysis of event-related potentials, spectral power, and inter-trial coherence. *Bipolar Disorders*, 20(1), 49–59. <http://doi.org/10.1111/bdi.12561>
393. Al-barrak, L., Kanjo, E., & Younis, E. M. G. (2017). NeuroPlace: Categorizing urban places according to mental states. *PLOS ONE*, 12(9), e0183890. <http://doi.org/10.1371/journal.pone.0183890>
394. Hagemann, D., Naumann, E., Thayer, J. F., & Bartussek, D. (2002). Does resting electroencephalograph asymmetry reflect a trait? an application of latent state-trait theory. *Journal of Personality and Social Psychology*, 82(4), 619–41. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11999928>
395. Elmer, S., Albrecht, J., Valizadeh, S. A., François, C., & Rodríguez-Fornells, A. (2018). Theta Coherence Asymmetry in the Dorsal Stream of Musicians Facilitates Word Learning. *Scientific Reports*, 8(1), 4565. <http://doi.org/10.1038/s41598-018-22942-1>
396. Bazanova, O. M., Auer, T., & Sapina, E. A. (2018). On the Efficiency of Individualized Theta/Beta Ratio Neurofeedback Combined with Forehead EMG Training

- in ADHD Children. *Frontiers in Human Neuroscience*, 12, 3.
<http://doi.org/10.3389/fnhum.2018.00003>
397. Kimble, M. O., Fleming, K., Bandy, C., & Zambetti, A. (2010). No Title, 178(3).
<http://doi.org/10.1016/j.psychres.2009.10.009>
 398. Sato, S., Kawauchi, S., Okuda, W., Nishidate, I., Nawashiro, H., & Tsumatori, G. (2014). Real-time optical diagnosis of the rat brain exposed to a laser-induced shock wave: observation of spreading depolarization, vasoconstriction and hypoxemia-oligemia. *PloS One*, 9(1), e82891. <http://doi.org/10.1371/journal.pone.0082891>
 399. Veltmeyer, M. D., McFarlane, A. C., Bryant, R. A., Mayo, T., Gordon, E., & Clark, C. R. (2006). Integrative assessment of brain function in PTSD: brain stability and working memory. *Journal of Integrative Neuroscience*, 5(1), 123–38. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/16544370>
 400. Ritterband-Rosenbaum, A., Herskind, A., Li, X., Willerslev-Olsen, M., Olsen, M. D., Farmer, S. F., & Nielsen, J. B. (2017). A critical period of corticomuscular and EMG-EMG coherence detection in healthy infants aged 9-25 weeks. *The Journal of Physiology*, 595(8), 2699–2713. <http://doi.org/10.1113/JP273090>
 401. Almarzouki, A. F., Brown, C. A., Brown, R. J., Leung, M. H. K., & Jones, A. K. P. (2017). Negative expectations interfere with the analgesic effect of safety cues on pain perception by priming the cortical representation of pain in the midcingulate cortex. *PloS One*, 12(6), e0180006. <http://doi.org/10.1371/journal.pone.0180006>
 402. Conley, A. C., Cooper, P. S., Karayanidis, F., Gardner, A. J., Levi, C. R., Stanwell, P., ... Iverson, G. L. (2018). Resting State Electroencephalography and Sports-Related Concussion: A Systematic Review. *Journal of Neurotrauma*, neu.2018.5761. <http://doi.org/10.1089/neu.2018.5761>
 403. Choudhary, A., Gulati, S., Sagar, R., Sankhyani, N., & Sripada, K. (2018). Childhood epilepsy and ADHD comorbidity in an Indian tertiary medical center outpatient population. *Scientific Reports*, 8(1), 2670. <http://doi.org/10.1038/s41598-018-20676-8>
 404. Buyukturkoglu, K., Porcaro, C., Cottone, C., Cancelli, A., Inglese, M., & Tecchio, F. (2017). Simple index of functional connectivity at rest in Multiple Sclerosis fatigue. *Clinical Neurophysiology*, 128(5), 807–813. <http://doi.org/10.1016/j.clinph.2017.02.010>
 405. Arjmand, H.-A., Hohagen, J., Paton, B., & Rickard, N. S. (2017). Emotional Responses to Music: Shifts in Frontal Brain Asymmetry Mark Periods of Musical Change. *Frontiers in Psychology*, 8, 2044. <http://doi.org/10.3389/fpsyg.2017.02044>
 406. Grooms, J. K., Thompson, G. J., Pan, W.-J., Billings, J., Schumacher, E. H., Epstein, C. M., & Keilholz, S. D. (2017). Infraslow Electroencephalographic and Dynamic Resting State Network Activity. *Brain Connectivity*, 7(5), 265–280. <http://doi.org/10.1089/brain.2017.0492>
 407. Ghaderi, A. H., Nazari, M. A., Shahrokhi, H., & Darooneh, A. H. (2017). Functional Brain Connectivity Differences Between Different ADHD Presentations: Impaired Functional Segregation in ADHD-Combined Presentation but not in ADHD-Inattentive Presentation. *Basic and Clinical Neuroscience*, 8(4), 267–278. <http://doi.org/10.18869/nirp.bcn.8.4.267>
 408. Fischer, N. L., Peres, R., & Fiorani, M. (2018). Frontal Alpha Asymmetry and Theta Oscillations Associated With Information Sharing Intention. *Frontiers in Behavioral Neuroscience*, 12, 166. <http://doi.org/10.3389/fnbeh.2018.00166>

409. Duffy, F. H., D'Angelo, E., Rotenberg, A., & Gonzalez-Heydrich, J. (2015). Neurophysiological differences between patients clinically at high risk for schizophrenia and neurotypical controls--first steps in development of a biomarker. *BMC Medicine*, 13, 276. <http://doi.org/10.1186/s12916-015-0516-z>
410. Clerico, A., Tiwari, A., Gupta, R., Jayaraman, S., & Falk, T. H. (2017). Electroencephalography Amplitude Modulation Analysis for Automated Affective Tagging of Music Video Clips. *Frontiers in Computational Neuroscience*, 11, 115. <http://doi.org/10.3389/fncom.2017.00115>
411. Hassan, M., Chaton, L., Benquet, P., Delval, A., Leroy, C., Plomhause, L., ... Dujardin, K. (2017). Functional connectivity disruptions correlate with cognitive phenotypes in Parkinson's disease. *NeuroImage: Clinical*, 14, 591–601. <http://doi.org/10.1016/j.nicl.2017.03.002>
412. Roeder, L., Boonstra, T. W., Smith, S. S., & Kerr, G. K. (2018). Dynamics of corticospinal motor control during overground and treadmill walking in humans. *Journal of Neurophysiology*, 120(3), 1017–1031. <http://doi.org/10.1152/jn.00613.2017>
413. Wacker, J., Chavanon, M.-L., Leue, A., & Stemmler, G. (2008). Is running away right? The behavioral activation-behavioral inhibition model of anterior asymmetry. *Emotion*, 8(2), 232–249. <http://doi.org/10.1037/1528-3542.8.2.232>
414. Youh, J., Hong, J. S., Han, D. H., Chung, U. S., Min, K. J., Lee, Y. S., & Kim, S. M. (2017). No Title, 32(7). <http://doi.org/10.3346/jkms.2017.32.7.1160>
415. Davidson, R. J. (1998). Anterior electrophysiological asymmetries, emotion, and depression: conceptual and methodological conundrums. *Psychophysiology*, 35(5), 607–14. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9715104>
416. O'Reilly, C., Lewis, J. D., Elsabbagh, M., O'Reilly, C., Lewis, J. D., & Elsabbagh, M. (2017). No Title, 12(5), e0175870. <http://doi.org/10.1371/journal.pone.0175870>
417. Rabe, S., Beauducel, A., Zöllner, T., Maercker, A., & Karl, A. (2006). Regional brain electrical activity in posttraumatic stress disorder after motor vehicle accident. *Journal of Abnormal Psychology*, 115(4), 687–698. <http://doi.org/10.1037/0021-843X.115.4.687>
418. Wojcik, G. M., Masiak, J., Kawiak, A., Schneider, P., Kwasniewicz, L., Polak, N., & Gajos-Balinska, A. (2018). New Protocol for Quantitative Analysis of Brain Cortex Electroencephalographic Activity in Patients With Psychiatric Disorders. *Frontiers in Neuroinformatics*, 12, 27. <http://doi.org/10.3389/fninf.2018.00027>
419. Fraga, F. J., Mamani, G. Q., Johns, E., Tavares, G., Falk, T. H., & Phillips, N. A. (2018). Early diagnosis of mild cognitive impairment and Alzheimer's with event-related potentials and event-related desynchronization in N-back working memory tasks. *Computer Methods and Programs in Biomedicine*, 164, 1–13. <http://doi.org/10.1016/j.cmpb.2018.06.011>
420. Rutiku, R., & Bachmann, T. (2017). Juxtaposing the real-time unfolding of subjective experience and ERP neuromarker dynamics. *Consciousness and Cognition*, 54, 3–19. <http://doi.org/10.1016/j.concog.2017.05.003>
421. Moran, J. K., Crombach, A., Elbert, T., Nandi, C., Bambonyé, M., Wienbruch, C., ... Weierstall, R. (2017). The individual contribution of DSM 5 symptom clusters of PTSD, life events, and childhood adversity to frontal oscillatory brain asymmetry in a

- large sample of active combatants. *Biological Psychology*, 129. <http://doi.org/10.1016/j.biopsycho.2017.09.014>
422. de Bruijn, E. R. A. A., Ruissen, M. I., & Radke, S. (2017). Electrophysiological correlates of oxytocin-induced enhancement of social performance monitoring. *Social Cognitive and Affective Neuroscience*, 12(10), 1668–1677. <http://doi.org/10.1093/scan/nsx094>
 423. Marceglia, S., Mrakic-Spota, S., Rosa, M., Ferrucci, R., Mameli, F., Vergari, M., ... Priori, A. (2016). Transcranial Direct Current Stimulation Modulates Cortical Neuronal Activity in Alzheimer's Disease. *Frontiers in Neuroscience*, 10, 134. <http://doi.org/10.3389/fnins.2016.00134>
 424. Reis, J., Portugal, A. M., Fernandes, L., Afonso, N., Pereira, M., Sousa, N., & Dias, N. S. (2016). An Alpha and Theta Intensive and Short Neurofeedback Protocol for Healthy Aging Working-Memory Training. *Frontiers in Aging Neuroscience*, 8, 157. <http://doi.org/10.3389/fnagi.2016.00157>
 425. Blaabjerg, L., & Juhl, C. B. (2016). Hypoglycemia-Induced Changes in the Electroencephalogram: An Overview. *Journal of Diabetes Science and Technology*, 10(6), 1259–1267. <http://doi.org/10.1177/1932296816659744>
 426. Korzhyk, O., Morenko, O., Morenko, A., & Kotsan, I. (2018). The Electrical Brain Activity in Men with Different Alpha-Rhythm Characteristics during Manual Movements Executed by the Subdominant Hand. *Annals of Neurosciences*, 25(2), 98–104. <http://doi.org/10.1159/000487065>
 427. Carvalho, M. R. de, Velasques, B. B., Cagy, M., Marques, J. B., Teixeira, S., Nardi, A. E., ... Ribeiro, P. (2013). Electroencephalographic findings in panic disorder. *Trends in Psychiatry and Psychotherapy*, 35(4), 238–251. <http://doi.org/10.1590/2237-6089-2013-0012>
 428. Harrewijn, A., Schmidt, L. A., Westenberg, P. M., Tang, A., & van der Molen, M. J. W. (2017). Electrocortical measures of information processing biases in social anxiety disorder: A review. *Biological Psychology*, 129, 324–348. <http://doi.org/10.1016/j.biopsycho.2017.09.013>
 429. Pidgeon, L. M., Grealy, M., Duffy, A. H. B., Hay, L., McTeague, C., Vuletic, T., ... Gilbert, S. J. (2016). Functional neuroimaging of visual creativity: a systematic review and meta-analysis. *Brain and Behavior*, 6(10), e00540. <http://doi.org/10.1002/brb3.540>
 430. Lattari, E., Budde, H., Paes, F., Neto, G. A. M., Appolinario, J. C., Nardi, A. E., ... Machado, S. (2018). Effects of Aerobic Exercise on Anxiety Symptoms and Cortical Activity in Patients with Panic Disorder: A Pilot Study. *Clinical Practice and Epidemiology in Mental Health : CP & EMH*, 14, 11–25. <http://doi.org/10.2174/1745017901814010011>
 431. Kim, D.-K., Rhee, J.-H., & Kang, S. W. (2014). Reorganization of the brain and heart rhythm during autogenic meditation. *Frontiers in Integrative Neuroscience*, 7, 109. <http://doi.org/10.3389/fnint.2013.00109>
 432. Sarnthein, J., Morel, A., von Stein, A., & Jeanmonod, D. (2005). Thalamocortical theta coherence in neurological patients at rest and during a working memory task. *International Journal of Psychophysiology*, 57(2), 87–96. <http://doi.org/10.1016/j.ijpsycho.2005.03.015>
 433. Roohi-Azizi, M., Azimi, L., Heysieattalab, S., & Aamidfar, M. (2017). Changes of the brain's bioelectrical activity in cognition, consciousness, and some mental

- disorders. *Medical Journal of the Islamic Republic of Iran*, 31, 53.
<http://doi.org/10.14196/mjiri.31.53>
434. Babiloni, C., Bosco, P., Ghidoni, R., Del Percio, C., Squitti, R., Binetti, G., ... Rossini, P. M. (2007). Homocysteine and electroencephalographic rhythms in Alzheimer disease: A multicentric study. *Neuroscience*, 145(3), 942–954.
<http://doi.org/10.1016/j.neuroscience.2006.12.065>
 435. Jones, K. T., Peterson, D. J., Blacker, K. J., & Berryhill, M. E. (2017). Frontoparietal neurostimulation modulates working memory training benefits and oscillatory synchronization. *Brain Research*, 1667, 28–40.
<http://doi.org/10.1016/j.brainres.2017.05.005>
 436. Bandelow, B., Baldwin, D., Abelli, M., Bolea-Alamanac, B., Bourin, M., Chamberlain, S. R., ... Riederer, P. (2017). Biological markers for anxiety disorders, OCD and PTSD: A consensus statement. Part II: Neurochemistry, neurophysiology and neurocognition. *The World Journal of Biological Psychiatry : The Official Journal of the World Federation of Societies of Biological Psychiatry*, 18(3), 162–214.
<http://doi.org/10.1080/15622975.2016.1190867>
 437. Gustafsson, H. C., Grieve, P. G., Werner, E. A., Desai, P., & Monk, C. (2018). Newborn electroencephalographic correlates of maternal prenatal depressive symptoms. *Journal of Developmental Origins of Health and Disease*, 9(04), 381–385.
<http://doi.org/10.1017/S2040174418000089>
 438. Huishi Zhang, C., Sohrabpour, A., Lu, Y., & He, B. (2016). Spectral and spatial changes of brain rhythmic activity in response to the sustained thermal pain stimulation. *Human Brain Mapping*, 37(8), 2976–91. <http://doi.org/10.1002/hbm.23220>
 439. Wang, Y.-Q., Li, R., Wu, X., Zhu, F., Takata, Y., Zhang, Z., ... Qu, W.-M. (2015). Fasting activated histaminergic neurons and enhanced arousal effect of caffeine in mice. *Pharmacology, Biochemistry, and Behavior*, 133, 164–73.
<http://doi.org/10.1016/j.pbb.2015.04.003>
 440. Levin, A. R., Méndez Leal, A. S., Gabard-Durnam, L. J., & O’Leary, H. M. (2018). BEAPP: The Batch Electroencephalography Automated Processing Platform. *Frontiers in Neuroscience*, 12, 513. <http://doi.org/10.3389/fnins.2018.00513>
 441. Berchio, C., Piguet, C., Michel, C. M., Cordera, P., Rihs, T. A., Dayer, A. G., & Aubry, J.-M. (2017). Dysfunctional gaze processing in bipolar disorder. *NeuroImage. Clinical*, 16, 545–556. <http://doi.org/10.1016/j.nicl.2017.09.006>
 442. Mytinger, J. R., Weber, A., & Vidaurre, J. (2018). High Amplitude Background Slow Waves in Normal Children Aged 3 to 18 Months. *Journal of Clinical Neurophysiology*, 35(2), 151–154. <http://doi.org/10.1097/WNP.0000000000000449>
 443. Duffy, F. H., Shankardass, A., McAnulty, G. B., & Als, H. (2017). A unique pattern of cortical connectivity characterizes patients with attention deficit disorders: a large electroencephalographic coherence study. *BMC Medicine*, 15(1), 51.
<http://doi.org/10.1186/s12916-017-0805-9>
 444. Alba, G., Pereda, E., Mañas, S., Méndez, L. D., González, A., & González, J. J. (2015). Electroencephalography signatures of attention-deficit/hyperactivity disorder: clinical utility. *Neuropsychiatric Disease and Treatment*, 11, 2755–69.
<http://doi.org/10.2147/NDT.S51783>
 445. Chang, H.-H., Yi, P.-L., Cheng, C.-H., Lu, C.-Y., Hsiao, Y.-T., Tsai, Y.-F., ... Chang, F.-C. (2011). Biphasic effects of baicalin, an active constituent of *Scutellaria*

- baicalensis Georgi, in the spontaneous sleep-wake regulation. *Journal of Ethnopharmacology*, 135(2), 359–68. <http://doi.org/10.1016/j.jep.2011.03.023>
446. Brookshire, G., Lu, J., Nusbaum, H. C., Goldin-Meadow, S., & Casasanto, D. (2017). Visual cortex entrains to sign language. *Proceedings of the National Academy of Sciences of the United States of America*, 114(24), 6352–6357. <http://doi.org/10.1073/pnas.1620350114>
447. Enriquez-Geppert, S., Huster, R. J., Figge, C., & Herrmann, C. S. (2014). Self-regulation of frontal-midline theta facilitates memory updating and mental set shifting. *Frontiers in Behavioral Neuroscience*, 8, 420. <http://doi.org/10.3389/fnbeh.2014.00420>
448. Stetkarova, I., Bocek, V., Gismatullina, A., Svobodova, Z., & Peisker, T. (2017). Severe chronic lithium intoxication in patient treated for bipolar disorder. *Neuro Endocrinology Letters*, 38(6), 397–400. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/29298279>
449. Wahbeh, H., & Oken, B. S. (2013). Peak high-frequency HRV and peak alpha frequency higher in PTSD. *Applied Psychophysiology and Biofeedback*, 38(1), 57–69. <http://doi.org/10.1007/s10484-012-9208-z>
450. Martel, M., Harvey, M.-P., Houde, F., Balg, F., Goffaux, P., & Léonard, G. (2017). Unravelling the effect of experimental pain on the corticomotor system using transcranial magnetic stimulation and electroencephalography. *Experimental Brain Research*, 235(4), 1223–1231. <http://doi.org/10.1007/s00221-017-4880-0>
451. Fernandez, L. M. J., Lecci, S., Cardis, R., Vantomme, G., Béard, E., & Lüthi, A. (2017). Quantifying Infra-slow Dynamics of Spectral Power and Heart Rate in Sleeping Mice. *Journal of Visualized Experiments*, (126). <http://doi.org/10.3791/55863>
452. Jestrović, I., Coyle, J. L., & Sejdić, E. (2015). Decoding human swallowing via electroencephalography: a state-of-the-art review. *Journal of Neural Engineering*, 12(5), 051001. <http://doi.org/10.1088/1741-2560/12/5/051001>
453. Barry, R. J., Clarke, A. R., & Johnstone, S. J. (2003). A review of electrophysiology in attention-deficit/hyperactivity disorder: I. Qualitative and quantitative electroencephalography. *Clinical Neurophysiology*, 114(2), 171–183. [http://doi.org/10.1016/S1388-2457\(02\)00362-0](http://doi.org/10.1016/S1388-2457(02)00362-0)
454. Ryu, J.-H. H., Kim, P.-J. J., Kim, H.-G. G., Koo, Y.-S. S., & Shin, T. J. (2017). Investigating the effects of nitrous oxide sedation on frontal-parietal interactions. *Neuroscience Letters*, 651, 9–15. <http://doi.org/10.1016/j.neulet.2017.04.036>
455. *Transcranial Magnetic Stimulation for the Treatment of Adults with PTSD, GAD, or Depression: A Review of Clinical Effectiveness and Guidelines*. (2014). *Transcranial Magnetic Stimulation for the Treatment of Adults with PTSD, GAD, or Depression: A Review of Clinical Effectiveness and Guidelines*. Canadian Agency for Drugs and Technologies in Health. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/25473719>
456. NEYLAN, T. C., Otte, C., Yehuda, R., & Marmar, C. R. (2006). Neuroendocrine Regulation of Sleep Disturbances in PTSD. *Annals of the New York Academy of Sciences*, 1071(1), 203–215. <http://doi.org/10.1196/annals.1364.015>
457. Chiarelli, A. M., Zappasodi, F., Di Pompeo, F., & Merla, A. (2017). Simultaneous functional near-infrared spectroscopy and electroencephalography for monitoring of human brain activity and oxygenation: a review. *Neurophotonics*, 4(4), 041411. <http://doi.org/10.1117/1.NPh.4.4.041411>

458. Olejarczyk, E., & Jernajczyk, W. (2017). Graph-based analysis of brain connectivity in schizophrenia. *PloS One*, 12(11), e0188629. <http://doi.org/10.1371/journal.pone.0188629>
459. Wildes, T. S., Winter, A. C., Maybrier, H. R., Mickle, A. M., Lenze, E. J., Stark, S., ... Avidan, M. S. (2016). Protocol for the Electroencephalography Guidance of Anesthesia to Alleviate Geriatric Syndromes (ENGAGES) study: a pragmatic, randomised clinical trial. *BMJ Open*, 6(6), e011505. <http://doi.org/10.1136/bmjopen-2016-011505>
460. Chan, A. S., Han, Y. M. Y., Sze, S. L., Wong, Q. Y., & Cheung, M.-C. (2013). A randomized controlled neurophysiological study of a chinese chan-based mind-body intervention in patients with major depressive disorder. *Evidence-Based Complementary and Alternative Medicine : ECAM*, 2013, 812096. <http://doi.org/10.1155/2013/812096>
461. Lavermicocca, V., Dellomonaco, A. R., Tedesco, A., Notarnicola, M., Di Fede, R., & Battaglini, P. P. (2018). [Neurofeedback in Parkinson's disease: technologies in speech and language therapy.]. *Recenti Progressi in Medicina*, 109(2), 130–132. <http://doi.org/10.1701/2865.28908>
462. Kaiser, A. K., Gnjezda, M.-T., Knasmüller, S., & Aichhorn, W. (2018). Electroencephalogram alpha asymmetry in patients with depressive disorders: current perspectives. *Neuropsychiatric Disease and Treatment*, 14, 1493–1504. <http://doi.org/10.2147/NDT.S137776>
463. Babu Henry Samuel, I., Wang, C., Hu, Z., & Ding, M. (2018). The frequency of alpha oscillations: Task-dependent modulation and its functional significance. *NeuroImage*, 183, 897–906. <http://doi.org/10.1016/j.neuroimage.2018.08.063>
464. Popov, T., Popova, P., Harkotte, M., Awiszus, B., Rockstroh, B., & Miller, G. A. (2018). Cross-frequency interactions between frontal theta and posterior alpha control mechanisms foster working memory. *NeuroImage*, 181, 728–733. <http://doi.org/10.1016/j.neuroimage.2018.07.067>
465. Paris, M., Mahajan, Y., Kim, J., & Meade, T. (2018). Emotional speech processing deficits in bipolar disorder: The role of mismatch negativity and P3a. *Journal of Affective Disorders*, 234, 261–269. <http://doi.org/10.1016/j.jad.2018.02.026>
466. Babiloni, C., De Pandis, M. F., Vecchio, F., Buffo, P., Sorpresi, F., Frisoni, G. B., & Rossini, P. M. (2011). Cortical sources of resting state electroencephalographic rhythms in Parkinson's disease related dementia and Alzheimer's disease. *Clinical Neurophysiology*, 122(12), 2355–2364. <http://doi.org/10.1016/j.clinph.2011.03.029>
467. Smith, E. E., Cavanagh, J. F., & Allen, J. J. B. (2018). Intracranial source activity (eLORETA) related to scalp-level asymmetry scores and depression status. *Psychophysiology*, 55(1), e13019. <http://doi.org/10.1111/psyp.13019>
468. Zhou, T.-H., Mueller, N. E., Spencer, K. M., Mallya, S. G., Lewandowski, K. E., Norris, L. A., ... Hall, M.-H. (2018). Auditory steady state response deficits are associated with symptom severity and poor functioning in patients with psychotic disorder. *Schizophrenia Research*. <http://doi.org/10.1016/j.schres.2018.05.027>
469. Costa, G. N., Duarte, J. V., Martins, R., Wibrál, M., & Castelo-Branco, M. (2017). Interhemispheric Binding of Ambiguous Visual Motion Is Associated with Changes in Beta Oscillatory Activity but Not with Gamma Range Synchrony. *Journal of Cognitive Neuroscience*, 29(11), 1829–1844. http://doi.org/10.1162/jocn_a_01158

470. Gu, Y., Cleeren, E., Dan, J., Claes, K., Van Paesschen, W., Van Huffel, S., & Hunyadi, B. (2017). No Title, 18, 29. <http://doi.org/10.3390/s18010029>
471. Boutorabi, S. Y., & Sheikhani, A. (2018). Evaluation of Electroencephalogram Signals of the Professional Pianists during Iconic Memory and Working Memory Tests Using Spectral Coherence. *Journal of Medical Signals and Sensors*, 8(2), 87–94. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/29928633>
472. Liu, Q., Farahibozorg, S., Porcaro, C., Wenderoth, N., & Mantini, D. (2017). Detecting large-scale networks in the human brain using high-density electroencephalography. *Human Brain Mapping*, 38(9), 4631–4643. <http://doi.org/10.1002/hbm.23688>
473. Baddam, S. K. R., Canapari, C. A., van Noordt, S. J. R., & Crowley, M. J. (2018). Sleep Disturbances in Child and Adolescent Mental Health Disorders: A Review of the Variability of Objective Sleep Markers. *Medical Sciences (Basel, Switzerland)*, 6(2). <http://doi.org/10.3390/medsci6020046>
474. Rocha, K., Marinho, V., Magalhães, F., Ribeiro, J., Oliveira, T., Gupta, D. S., ... Teixeira, S. (2018). Low-frequency rTMS stimulation over superior parietal cortex medially improve time reproduction and increases the right dorsolateral prefrontal cortex predominance. *International Journal of Neuroscience*, 1–28. <http://doi.org/10.1080/00207454.2018.1476351>
475. Lew, S., Hämläinen, M. S. S., & Okada, Y. (2017). Toward noninvasive monitoring of ongoing electrical activity of human uterus and fetal heart and brain. *Clinical Neurophysiology*, 128(12), 2470–2481. <http://doi.org/10.1016/j.clinph.2017.08.026>
476. Hudgens-Haney, M. E., Ethridge, L. E., McDowell, J. E., Keedy, S. K., Pearlson, G. D., Tamminga, C. A., ... Clementz, B. A. (2018). Psychosis subgroups differ in intrinsic neural activity but not task-specific processing. *Schizophrenia Research*, 195, 222–230. <http://doi.org/10.1016/j.schres.2017.08.023>
477. Salat, D. H., Robinson, M. E., Miller, D. R., Clark, D. C., & McGlinchey, R. E. (2017). Neuroimaging of deployment-associated traumatic brain injury (TBI) with a focus on mild TBI (mTBI) since 2009. *Brain Injury*, 31(9), 1204–1219. <http://doi.org/10.1080/02699052.2017.1327672>
478. Galetto, V., & Sacco, K. (2017). Neuroplastic Changes Induced by Cognitive Rehabilitation in Traumatic Brain Injury: A Review. *Neurorehabilitation and Neural Repair*, 31(9), 800–813. <http://doi.org/10.1177/1545968317723748>
479. Zijlmans, M., Worrell, G. A., Dümpelmann, M., Stieglitz, T., Barborica, A., Heers, M., ... Le Van Quyen, M. (2017). How to record high-frequency oscillations in epilepsy: A practical guideline. *Epilepsia*, 58(8), 1305–1315. <http://doi.org/10.1111/epi.13814>
480. Ranlund, S., Calafato, S., Thygesen, J. H., Lin, K., Cahn, W., Crespo-Facorro, B., ... Bramon, E. (2018). A polygenic risk score analysis of psychosis endophenotypes across brain functional, structural, and cognitive domains. *American Journal of Medical Genetics. Part B, Neuropsychiatric Genetics : The Official Publication of the International Society of Psychiatric Genetics*, 177(1), 21–34. <http://doi.org/10.1002/ajmg.b.32581>
481. Micheli, G., Kitsune, V., Vainieri, I., Hosang, G. M., Brandeis, D., Asherson, P., & Kuntsi, J. (2018). Shared and Disorder-Specific Event-Related Brain Oscillatory

- Markers of Attentional Dysfunction in ADHD and Bipolar Disorder. *Brain Topography*, 31(4), 672–689. <http://doi.org/10.1007/s10548-018-0625-z>
482. Morsel, A. M., Morrens, M., Dhar, M., & Sabbe, B. (2018). Systematic review of cognitive event related potentials in euthymic bipolar disorder. *Clinical Neurophysiology*, 129(9), 1854–1865. <http://doi.org/10.1016/j.clinph.2018.05.025>
 483. Misra, G., Ofori, E., Chung, J. W., & Coombes, S. A. (2017). Pain-Related Suppression of Beta Oscillations Facilitates Voluntary Movement. *Cerebral Cortex (New York, N.Y. : 1991)*, 27(4), 2592–2606. <http://doi.org/10.1093/cercor/bhw061>
 484. Jiang, Y., Abiri, R., & Zhao, X. (2017). Tuning Up the Old Brain with New Tricks: Attention Training via Neurofeedback. *Frontiers in Aging Neuroscience*, 9, 52. <http://doi.org/10.3389/fnagi.2017.00052>
 485. Hicks, R. A., Hall, P. A., Staines, W. R., & McIlroy, W. E. (2018). Frontal alpha asymmetry and aerobic exercise: are changes due to cardiovascular demand or bilateral rhythmic movement? *Biological Psychology*, 132, 9–16. <http://doi.org/10.1016/j.biopsycho.2017.10.011>
 486. McGovern, R. A., & Sheth, S. A. (2017). Role of the dorsal anterior cingulate cortex in obsessive-compulsive disorder: converging evidence from cognitive neuroscience and psychiatric neurosurgery. *Journal of Neurosurgery*, 126(1), 132–147. <http://doi.org/10.3171/2016.1.JNS15601>
 487. Chapeton, J. I., Inati, S. K., & Zaghloul, K. A. (2017). Stable functional networks exhibit consistent timing in the human brain. *Brain*, 140(3), 628–640. <http://doi.org/10.1093/brain/aww337>
 488. Shine, J. M., Kucyi, A., Foster, B. L., Bickel, S., Wang, D., Liu, H., ... Parvizi, J. (2017). Distinct Patterns of Temporal and Directional Connectivity among Intrinsic Networks in the Human Brain. *The Journal of Neuroscience*, 37(40), 9667–9674. <http://doi.org/10.1523/JNEUROSCI.1574-17.2017>
 489. Bedwell, J. S., Spencer, C. C., Chan, C. C., Butler, P. D., Sehatpour, P., & Schmidt, J. (2018). The P1 visual-evoked potential, red light, and transdiagnostic psychiatric symptoms. *Brain Research*, 1687, 144–154. <http://doi.org/10.1016/j.brainres.2018.03.002>
 490. Van Doren, J., Arns, M., Heinrich, H., Vollebregt, M. A., Strehl, U., & K. Loo, S. (2018). Sustained effects of neurofeedback in ADHD: a systematic review and meta-analysis. *European Child & Adolescent Psychiatry*. <http://doi.org/10.1007/s00787-018-1121-4>
 491. Goadsby, P. J., Holland, P. R., Martins-Oliveira, M., Hoffmann, J., Schankin, C., & Akerman, S. (2017). Pathophysiology of Migraine: A Disorder of Sensory Processing. *Physiological Reviews*, 97(2), 553–622. <http://doi.org/10.1152/physrev.00034.2015>
 492. Beland, L.-P., & Kim, D. (2016). The Effect of High School Shootings on Schools and Student Performance. *Educational Evaluation and Policy Analysis*, 38(1), 113–126. <http://doi.org/10.3102/0162373715590683>
 493. Yeum, T.-S., & Kang, U. G. (2018). Reduction in Alpha Peak Frequency and Coherence on Quantitative Electroencephalography in Patients with Schizophrenia. *Journal of Korean Medical Science*, 33(26), e179. <http://doi.org/10.3346/jkms.2018.33.e179>

494. Girardeau, G., & Zugaro, M. (2011). Hippocampal ripples and memory consolidation. *Current Opinion in Neurobiology*, 21(3), 452–459. <http://doi.org/10.1016/j.conb.2011.02.005>
495. Rathee, D., Cecotti, H., & Prasad, G. (2017). Single-trial effective brain connectivity patterns enhance discriminability of mental imagery tasks. *Journal of Neural Engineering*, 14(5), 056005. <http://doi.org/10.1088/1741-2552/aa785c>
496. Faruque Reza, M., Ikoma, K., Ito, T., Ogawa, T., Mano, Y., Reza, M. F., ... Mano, Y. (2007). N200 latency and P300 amplitude in depressed mood post-traumatic brain injury patients. *Neuropsychological Rehabilitation*, 17(6), 723–734. <http://doi.org/10.1080/09602010601082441>
497. Chang, K., Frankovich, J., Cooperstock, M., Cunningham, M. W., Latimer, M. E., Murphy, T. K., ... PANS Collaborative Consortium. (2015). Clinical evaluation of youth with pediatric acute-onset neuropsychiatric syndrome (PANS): recommendations from the 2013 PANS Consensus Conference. *Journal of Child and Adolescent Psychopharmacology*, 25(1), 3–13. <http://doi.org/10.1089/cap.2014.0084>
498. Wilcox, S. L., Veggeberg, R., Lemme, J., Hodkinson, D. J., Scrivani, S., Burstein, R., ... Borsook, D. (2016). Increased Functional Activation of Limbic Brain Regions during Negative Emotional Processing in Migraine. *Frontiers in Human Neuroscience*, 10, 366. <http://doi.org/10.3389/fnhum.2016.00366>
499. Roumis, D. K., & Frank, L. M. (2015). Hippocampal sharp-wave ripples in waking and sleeping states. *Current Opinion in Neurobiology*, 35, 6–12. <http://doi.org/10.1016/j.conb.2015.05.001>
500. Spitzer, B., & Haegens, S. (2017). Beyond the Status Quo: A Role for Beta Oscillations in Endogenous Content (Re)Activation. *Eneuro*, 4(4), ENEURO.0170-17.2017. <http://doi.org/10.1523/ENEURO.0170-17.2017>
501. Takahashi, T., Yamanishi, T., Nobukawa, S., Kasakawa, S., Yoshimura, Y., Hiraishi, H., ... Kikuchi, M. (2017). Band-specific atypical functional connectivity pattern in childhood autism spectrum disorder. *Clinical Neurophysiology*, 128(8), 1457–1465. <http://doi.org/10.1016/j.clinph.2017.05.010>
502. Assenza, G., Capone, F., di Biase, L., Ferreri, F., Florio, L., Guerra, A., ... Di Lazzaro, V. (2017). Oscillatory Activities in Neurological Disorders of Elderly: Biomarkers to Target for Neuromodulation. *Frontiers in Aging Neuroscience*, 9. <http://doi.org/10.3389/fnagi.2017.00189>
503. Rajendra Acharya, U., Paul Joseph, K., Kannathal, N., Lim, C. M., Suri, J. S., Acharya, U. R., ... Suri, J. S. (2006). Heart rate variability: A review. *Medical and Biological Engineering and Computing*, 44(12), 1031–1051. <http://doi.org/10.1007/s11517-006-0119-0>
504. Nelson, D. V., & Esty, M. L. (2015). Neurotherapy for chronic headache following traumatic brain injury. *Military Medical Research*, 2, 22. <http://doi.org/10.1186/s40779-015-0049-y>
505. Viswanath, B., Rao, N. P., Narayanaswamy, J. C., Sivakumar, P. T., Kandasamy, A., Kesavan, M., ... Jain, S. (2018). Discovery biology of neuropsychiatric syndromes (DBNS): a center for integrating clinical medicine and basic science. *BMC Psychiatry*, 18(1), 106. <http://doi.org/10.1186/s12888-018-1674-2>

506. Yaksh, T. L. (n.d.). Calcium Channels As Therapeutic Targets in Neuropathic Pain Perspective: Pharmacologic studies showing the role of spinal voltage-sensitive calcium channels in. <http://doi.org/10.1016/j.jpain.2005.09.007>
507. Meckler, C., Carbonnell, L., Ramdani, C., Hasbroucq, T., & Vidal, F. (2017). On-line action monitoring of response execution: An electrophysiological study. *Biological Psychology*, 129, 178–185. <http://doi.org/10.1016/j.biopsycho.2017.09.002>
508. Hunt, M. J., Kopell, N. J., Traub, R. D., & Whittington, M. A. (2017). Aberrant Network Activity in Schizophrenia. *Trends in Neurosciences*, 40(6), 371–382. <http://doi.org/10.1016/j.tins.2017.04.003>
509. Kimble, M., Batterink, L., Marks, E., Ross, C., & Fleming, K. (2012). Negative expectancies in posttraumatic stress disorder: neurophysiological (N400) and behavioral evidence. *Journal of Psychiatric Research*, 46(7), 849–55. <http://doi.org/10.1016/j.jpsychires.2012.03.023>
510. Fujioka, T., & Ross, B. (2017). Beta-band oscillations during passive listening to metronome sounds reflect improved timing representation after short-term musical training in healthy older adults. *European Journal of Neuroscience*, 46(8), 2339–2354. <http://doi.org/10.1111/ejn.13693>
511. Brookshire, G., & Casasanto, D. (2018). Approach motivation in human cerebral cortex. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 373(1752), 20170141. <http://doi.org/10.1098/rstb.2017.0141>
512. Lerner, I., Lupkin, S. M., Sinha, N., Tsai, A., & Gluck, M. A. (2017). Baseline Levels of Rapid Eye Movement Sleep May Protect Against Excessive Activity in Fear-Related Neural Circuitry. *The Journal of Neuroscience*, 37(46), 11233–11244. <http://doi.org/10.1523/JNEUROSCI.0578-17.2017>
513. Kang, B. K., Kim, J. S., Ryun, S., & Chung, C. K. (2018). Prediction of movement intention using connectivity within motor-related network: An electrocorticography study. *PLOS ONE*, 13(1), e0191480. <http://doi.org/10.1371/journal.pone.0191480>
514. Ong Lai Teik, D., Shiang Lee, X., Jian Lim, C., Mei Low, C., Muslima, M., & Aquili, L. (n.d.). Ginseng and Ginkgo Biloba Effects on Cognition as Modulated by Cardiovascular Reactivity: A Randomised Trial.
515. Madi, M. K., & Karameh, F. N. (2017). Hybrid Cubature Kalman filtering for identifying nonlinear models from sampled recording: Estimation of neuronal dynamics. *PLOS ONE*, 12(7), e0181513. <http://doi.org/10.1371/journal.pone.0181513>
516. Deacon, D., & Campbell, K. B. (1991). Effects of performance feedback on P300 and reaction time in closed head-injured outpatients. *Electroencephalography and Clinical Neurophysiology*, 78(2), 133–141. [http://doi.org/10.1016/0013-4694\(91\)90113-I](http://doi.org/10.1016/0013-4694(91)90113-I)
517. Toyomaki, A., Hashimoto, N., Kako, Y., Murohashi, H., & Kusumi, I. (2017). Neural responses to feedback information produced by self-generated or other-generated decision-making and their impairment in schizophrenia. *PLOS ONE*, 12(8), e0183792. <http://doi.org/10.1371/journal.pone.0183792>
518. Coppola, G., Di Renzo, A., Tinelli, E., Lepre, C., Di Lorenzo, C., Di Lorenzo, G., ... Pierelli, F. (2016). Thalamo-cortical network activity between migraine attacks: Insights from MRI-based microstructural and functional resting-state network correlation analysis. *The Journal of Headache and Pain*, 17(1), 100. <http://doi.org/10.1186/s10194-016-0693-y>

519. Gokcen, C., Karadag, M., & Aksoy, I. (2018). Methylphenidate Induced Lip and Tongue Biting. *Clinical Psychopharmacology and Neuroscience : The Official Scientific Journal of the Korean College of Neuropsychopharmacology*, 16(2), 218–220. <http://doi.org/10.9758/cpn.2018.16.2.218>
520. Cowdin, N., Kobayashi, I., & Mellman, T. A. (2014). Theta frequency activity during rapid eye movement (REM) sleep is greater in people with resilience versus PTSD. *Experimental Brain Research*, 232(5), 1479–85. <http://doi.org/10.1007/s00221-014-3857-5>
521. Braun, C. M. J., Dumont, M., Duval, J., Hamel, I., & Godbout, L. (2003). Opposed left and right brain hemisphere contributions to sexual drive: a multiple lesion case analysis. *Behavioural Neurology*, 14(1–2), 55–61. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/12719639>
522. Akechi, H., Senju, A., Kikuchi, Y., Tojo, Y., Osanai, H., & Hasegawa, T. (2010). The effect of gaze direction on the processing of facial expressions in children with autism spectrum disorder: An ERP study. *Neuropsychologia*, 48(10), 2841–2851. <http://doi.org/10.1016/j.neuropsychologia.2010.05.026>
523. Mathew, J., Balakrishnan, S., Antony, S., Abraham, P. M., & Paulose, C. S. (2012). Decreased GABA receptor in the cerebral cortex of epileptic rats: effect of Bacopa monnieri and Bacoside-A. *Journal of Biomedical Science*, 19(1), 25. <http://doi.org/10.1186/1423-0127-19-25>
524. Gidron, Y., Hall, P., Wesnes, K. a, & Bucks, R. S. (2010). Does a neuropsychological index of hemispheric lateralization predict onset of upper respiratory tract infectious symptoms? *British Journal of Health Psychology*, 15(Pt 3), 469–77. <http://doi.org/10.1348/135910709X471391>
525. Fishbein, D., & Tarter, R. (2009). Infusing Neuroscience Into the Study and Prevention of Drug Misuse and Co-Occurring Aggressive Behavior. *Substance Use & Misuse*, 44(9–10), 1204–1235. <http://doi.org/10.1080/10826080902959975>
526. Sinha, N., & Parnia, S. (2017). Monitoring the Brain After Cardiac Arrest: a New Era. *Current Neurology and Neuroscience Reports*, 17(8), 62. <http://doi.org/10.1007/s11910-017-0770-x>
527. Hodkinson, D. J., Wilcox, S. L., Veggeberg, R., Nosedá, R., Burstein, R., Borsook, D., & Becerra, L. (2016). Increased Amplitude of Thalamocortical Low-Frequency Oscillations in Patients with Migraine. *The Journal of Neuroscience*, 36(30), 8026–8036. <http://doi.org/10.1523/JNEUROSCI.1038-16.2016>
528. Hervé, P.-Y., Zago, L., Petit, L., Mazoyer, B., & Tzourio-Mazoyer, N. (2013). Revisiting human hemispheric specialization with neuroimaging. *Trends in Cognitive Sciences*, 17(2), 69–80. <http://doi.org/10.1016/j.tics.2012.12.004>
529. Germain, A. (2013). Sleep disturbances as the hallmark of PTSD: where are we now? *The American Journal of Psychiatry*, 170(4), 372–82. <http://doi.org/10.1176/appi.ajp.2012.12040432>
530. Severo, M. C., Walentowska, W., Moors, A., & Pourtois, G. (2017). Goal impact influences the evaluative component of performance monitoring: Evidence from ERPs. *Biological Psychology*, 129(August), 90–102. <http://doi.org/10.1016/j.biopsycho.2017.08.052>
531. Aas, M., Haukvik, U. K., Djurovic, S., Tesli, M., Athanasiu, L., Bjella, T., ... Melle, I. (2014). Interplay between childhood trauma and BDNF val66met variants on

- blood BDNF mRNA levels and on hippocampus subfields volumes in schizophrenia spectrum and bipolar disorders. *Journal of Psychiatric Research*, 59, 14–21. <http://doi.org/10.1016/j.jpsychires.2014.08.011>
532. Choi, J., Jeong, B., Rohan, M. L., Polcari, A. M., & Teicher, M. H. (2009). Preliminary Evidence for White Matter Tract Abnormalities in Young Adults Exposed to Parental Verbal Abuse. *Biological Psychiatry*, 65(3), 227–234. <http://doi.org/10.1016/j.biopsych.2008.06.022>
 533. Wellman, L. L., Fitzpatrick, M. E., Machida, M., & Sanford, L. D. (2014). The basolateral amygdala determines the effects of fear memory on sleep in an animal model of PTSD. *Experimental Brain Research*, 232(5), 1555–65. <http://doi.org/10.1007/s00221-014-3850-z>
 534. Dunkley, B. T., Urban, K., Da Costa, L., Wong, S. M., Pang, E. W., & Taylor, M. J. (2018). Default Mode Network Oscillatory Coupling Is Increased Following Concussion. *Frontiers in Neurology*, 9, 280. <http://doi.org/10.3389/fneur.2018.00280>
 535. Zotev, V., Phillips, R., Young, K. D., Drevets, W. C., & Bodurka, J. (2013). Prefrontal control of the amygdala during real-time fMRI neurofeedback training of emotion regulation. *PloS One*, 8(11), e79184. <http://doi.org/10.1371/journal.pone.0079184>
 536. Metzger, L. J., Clark, C. R., McFarlane, A. C., Veltmeyer, M. D., Lasko, N. B., Paige, S. R., ... Investigators, for the H. P. T. S. (2009). Event-related potentials to auditory stimuli in monozygotic twins discordant for combat: association with PTSD. *Psychophysiology*, 46(1), 172–8. <http://doi.org/10.1111/j.1469-8986.2008.00720.x>
 537. Clancy, K., Ding, M., Bernat, E., Schmidt, N. B., & Li, W. (2017). Restless “rest”: Intrinsic sensory hyperactivity and disinhibition in post-traumatic stress disorder. *Brain*, 140(7), 2041–2050. <http://doi.org/10.1093/brain/awx116>
 538. Li, Q., Zhou, S., Zheng, Y., & Liu, X. (2018). No Title, 12, 146. <http://doi.org/10.3389/fnhum.2018.00146>
 539. Itzkowitz, S., Chefetz, R. A., Hainer, M., Hopenwasser, K., & Howell, E. F. (2015). Exploring Dissociation and Dissociative Identity Disorder: A Roundtable Discussion. *Psychoanalytic Perspectives*, 12(1), 39–79. <http://doi.org/10.1080/1551806X.2015.979467>
 540. Akiyoshi, J., Hieda, K., Aoki, Y., & Nagayama, H. (2003). Frontal brain hypoactivity as a biological substrate of anxiety in patients with panic disorders. *Neuropsychobiology*, 47(3), 165–170. <http://doi.org/10.1159/000070587>
 541. An, J.-X., Wang, Y., Cope, D., & Williams, J. (2017). Quantitative Evaluation of Pain with Pain Index Extracted from Electroencephalogram. *Chinese Medical Journal*, 130(16), 1926. <http://doi.org/10.4103/0366-6999.211878>
 542. Rymarczyk, K., Żurawski, Ł., Jankowiak-Siuda, K., & Szatkowska, I. (2018). Neural Correlates of Facial Mimicry: Simultaneous Measurements of EMG and BOLD Responses during Perception of Dynamic Compared to Static Facial Expressions. *Frontiers in Psychology*, 9, 52. <http://doi.org/10.3389/fpsyg.2018.00052>
 543. Holstein, D. H., Vollenweider, F. X., Jäncke, L., Schopper, C., & Csomor, P. A. (2010). P50 suppression, prepulse inhibition, and startle reactivity in the same patient cohort suffering from posttraumatic stress disorder. *Journal of Affective Disorders*, 126(1–2), 188–197. <http://doi.org/10.1016/j.jad.2010.02.122>

544. Yun, X., Li, W., Qiu, J., Jou, J., Wei, D., Tu, S., & Zhang, Q. (2011). Neural mechanisms of subliminal priming for traumatic episodic memory: An ERP study. *Neuroscience Letters*, 498(1), 10–14. <http://doi.org/10.1016/j.neulet.2011.04.040>
545. Ullman, J. C., Yang, J., Sullivan, M., Bendor, J., Levy, J., Pham, E., ... Edwards, R. H. (2018). A mouse model of autism implicates endosome pH in the regulation of presynaptic calcium entry. *Nature Communications*, 9(1), 330. <http://doi.org/10.1038/s41467-017-02716-5>
546. Yagi, Y., Coburn, K. L., Estes, K. M., & Arruda, J. E. (1999). Effects of aerobic exercise and gender on visual and auditory P300, reactio...: EBSCOhost. *European Journal of Applied Physiology and Occupational Physiology*, 80(5), 402–408. Retrieved from <http://web.a.ebscohost.com/ehost/detail/detail?vid=12&sid=fe301110-a4ac-4638-b256-bd61829ed933%40sessionmgr4006&hid=4206&bdata=JmxvZ2luLmFzcCZzaXRIPWVo b3N0LWxpdmUmc2NvcGU9c2l0ZQ%3D%3D#AN=SPHS-78906&db=sph>
547. Kieling, C., Goncalves, R. R. F., Tannock, R., & Castellanos, F. X. (2008). Neurobiology of attention deficit hyperactivity disorder. *Child and Adolescent Psychiatric Clinics of North America*, 17(2), 285–307, viii. <http://doi.org/10.1016/j.chc.2007.11.012>
548. Thornton, K. E., & Carmody, D. P. (2009). Traumatic brain injury rehabilitation: QEEG biofeedback treatment protocols. *Applied Psychophysiology and Biofeedback*, 34(1), 59–68. <http://doi.org/10.1007/s10484-009-9075-4>
549. Gatta, M., Cadevini, C., Svanellini, L., Aste, G., Penzo, M., Montagnese, S., ... Gatta, A. (2014). Case report iz io ni Corresponding author : In te r na zi on al Ed iz io ni In te r na on. *Muscles, Ligaments and Tendons*, 3(2), 64–70. <http://doi.org/10.11138/PER/2014.3.4.142>
550. Gjini, K., Boutros, N. N., Haddad, L., Aikins, D., Javanbakht, A., Amirsadri, A., & Tancer, M. E. (2013). Evoked potential correlates of Post-Traumatic Stress Disorder in refugees with history of exposure to torture. *Journal of Psychiatric Research*, 47(10), 1492–1498. <http://doi.org/10.1016/j.jpsychires.2013.06.007>
551. Borsook, D., Veggeberg, R., Erpelding, N., Borra, R., Linnman, C., Burstein, R., & Becerra, L. (2016). The Insula: A “Hub of Activity” in Migraine. *Neuroscientist*, 22(6), 632–652. <http://doi.org/10.1177/1073858415601369>
552. Ligeza, T. S., & Wyczesany, M. (2017). Cognitive conflict increases processing of negative, task-irrelevant stimuli. *International Journal of Psychophysiology*, 120, 126–135. <http://doi.org/10.1016/j.ijpsycho.2017.07.013>
553. Müller, S. V., von Schweder, A. J., Frank, B., Dengler, R., Münte, T. F., & Johannes, S. S. (2002). The effects of proprioceptive stimulation on cognitive processes in patients after traumatic brain injury. *Archives of Physical Medicine and Rehabilitation*, 83(1), 115–121. <http://doi.org/10.1053/apmr.2002.27472>
554. Yamamuro, K., Ota, T., Iida, J., Nakanishi, Y., Suehiro, Y., Matsuura, H., ... Kishimoto, T. (2016). Event-related potentials correlate with the severity of child and adolescent patients with attention deficit/hyperactivity disorder. *Neuropsychobiology*, 73(3), 131–138. <http://doi.org/10.1159/000444490>
555. Cote, K. A., Mondloch, C. J., Sergeeva, V., Taylor, M., & Semplonius, T. (2014). Impact of total sleep deprivation on behavioural neural processing of emotionally

- expressive faces. *Experimental Brain Research*, 232(5), 1429–1442.
<http://doi.org/10.1007/s00221-013-3780-1>
556. Richards, A., Metzler, T. J., Ruoff, L. M., Inslicht, S. S., Rao, M., Talbot, L. S., & Neylan, T. C. (2013). Sex differences in objective measures of sleep in post-traumatic stress disorder and healthy control subjects. *Journal of Sleep Research*, 22(6), 679–87.
<http://doi.org/10.1111/jsr.12064>
 557. Blanco, L., Nydegger, L. A., Camarillo, G., Trinidad, D. R., Schramm, E., & Ames, S. L. (2015). Neurological changes in brain structure and functions among individuals with a history of childhood sexual abuse: A review. *Neuroscience and Biobehavioral Reviews*, 57, 63–69. <http://doi.org/10.1016/j.neubiorev.2015.07.013>
 558. Hoehl, S., & Striano, T. (2008). Neural Processing of Eye Gaze and Threat-Related Emotional Facial Expressions in Infancy. *Child Development*, 79(6), 1752–1760.
<http://doi.org/10.1111/j.1467-8624.2008.01223.x>
 559. Esquivel, G., & Colasanti, A. (2015). Review: Acids in the brain: a factor in panic?, (2001). <http://doi.org/ezproxy.libraries.wright.edu/10.1177/0269881109104847>
 560. Vahdat, S., Fogel, S., Benali, H., & Doyon, J. (2017). Network-wide reorganization of procedural memory during NREM sleep revealed by fMRI. *ELife*, 6.
<http://doi.org/10.7554/eLife.24987>
 561. Pezzulo, G., Kemere, C., & van der Meer, M. A. A. (2017). Internally generated hippocampal sequences as a vantage point to probe future-oriented cognition. *Annals of the New York Academy of Sciences*, 1396(1), 144–165. <http://doi.org/10.1111/nyas.13329>
 562. Osypiuk, K., Thompson, E., & Wayne, P. M. (2018). Can Tai Chi and Qigong Postures Shape Our Mood? Toward an Embodied Cognition Framework for Mind-Body Research. *Frontiers in Human Neuroscience*, 12, 174.
<http://doi.org/10.3389/fnhum.2018.00174>
 563. Yoshida, T., Masani, K., Zabjek, K., Chen, R., & Popovic, M. R. (2017). Dynamic Increase in Corticomuscular Coherence during Bilateral, Cyclical Ankle Movements. *Frontiers in Human Neuroscience*, 11, 155.
<http://doi.org/10.3389/fnhum.2017.00155>
 564. Lewis, G. J., & Bates, T. C. (2013). The long reach of the gene. *Psychologist*, 26(3), 194–198. <http://doi.org/10.1162/jocn>
 565. Ekinci, O., Okuyaz, Ç., Erdoğan, S., Gunes, S., Ekinci, N., Kalınlı, M., ... Direk, M. Ç. (2017). Attention-Deficit Hyperactivity Disorder (ADHD) in Epilepsy and Primary ADHD: Differences in Symptom Dimensions and Quality of Life. *Journal of Child Neurology*, 32(14), 1083–1091. <http://doi.org/10.1177/0883073817737445>
 566. Fahy, B. G., & Chau, D. F. (2018). The Technology of Processed Electroencephalogram Monitoring Devices for Assessment of Depth of Anesthesia. *Anesthesia and Analgesia*, 126(1), 111–117.
<http://doi.org/10.1213/ANE.0000000000002331>
 567. Sumner, R. C., Parton, A., Nowicky, A. V., Kishore, U., & Gidron, Y. (2011). Hemispheric lateralisation and immune function: a systematic review of human research. *Journal of Neuroimmunology*, 240–241, 1–12.
<http://doi.org/10.1016/j.jneuroim.2011.08.017>
 568. Shu, I.-W. W., Onton, J. A., O’Connell, R. M., Simmons, A. N., Matthews, S. C., O’Connell, R. M., ... Matthews, S. C. (2014). Combat veterans with comorbid PTSD and mild TBI exhibit a greater inhibitory processing ERP from the dorsal anterior cingulate

- cortex. *Psychiatry Research - Neuroimaging*, 224(1), 58–66.
<http://doi.org/10.1016/j.pscychresns.2014.07.010>
569. Uglem, M., Omland, P. M., Stjern, M., Gravdahl, G. B., & Sand, T. (2017). Habituation of laser-evoked potentials by migraine phase: a blinded longitudinal study. *The Journal of Headache and Pain*, 18(1), 100. <http://doi.org/10.1186/s10194-017-0810-6>
 570. Tang, W., Shin, J. D., Frank, L. M., & Jadhav, S. P. (2017). Hippocampal-Prefrontal Reactivation during Learning Is Stronger in Awake Compared with Sleep States. *The Journal of Neuroscience*, 37(49), 11789–11805.
<http://doi.org/10.1523/JNEUROSCI.2291-17.2017>
 571. Legéndy, C. R. (2017). On the “data stirring” role of the dentate gyrus of the hippocampus. *Reviews in the Neurosciences*, 28(6), 599–615.
<http://doi.org/10.1515/revneuro-2016-0080>
 572. Medvedev, A. V. (2014). Does the resting state connectivity have hemispheric asymmetry? A near-infrared spectroscopy study. *NeuroImage*, 85 Pt 1(0 1), 400–7.
<http://doi.org/10.1016/j.neuroimage.2013.05.092>
 573. Sergeant, J. A. (2000). The cognitive-energetic model: an empirical approach to attention-deficit hyperactivity disorder. *Neuroscience and Biobehavioral Reviews*, 24(1), 7–12. [http://doi.org/S0149-7634\(99\)00060-3](http://doi.org/S0149-7634(99)00060-3) [pii]
 574. Almeida, L. G., Ricardo-Garcell, J., Prado, H., Barajas, L., Fernández-Bouzas, A., Ávila, D., & Martínez, R. B. (2010). Reduced right frontal cortical thickness in children, adolescents and adults with ADHD and its correlation to clinical variables: A cross-sectional study. *Journal of Psychiatric Research*, 44(16), 1214–1223.
<http://doi.org/10.1016/j.jpsychires.2010.04.026>
 575. Lanius, R. A., Frewen, P. A., Tursich, M., Jetly, R., & McKinnon, M. C. (2015). Restoring large-scale brain networks in PTSD and related disorders: a proposal for neuroscientifically-informed treatment interventions. *European Journal of Psychotraumatology*, 6, 27313. Retrieved from
<http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=4390556&tool=pmcentrez&rendertype=abstract>
 576. Zarcone, D., & Corbetta, S. (2017). Shared mechanisms of epilepsy, migraine and affective disorders. *Neurological Sciences*, 38(S1), 73–76. <http://doi.org/10.1007/s10072-017-2902-0>
 577. Huang, L., Juan Dong, H., Wang, X., Wang, Y., & Xiao, Z. (2017). Duration and frequency of migraines affect cognitive function: evidence from neuropsychological tests and event-related potentials. *The Journal of Headache and Pain*, 18(1), 54.
<http://doi.org/10.1186/s10194-017-0758-6>
 578. Vaudano, A. E., Ruggieri, A., Avanzini, P., Gessaroli, G., Cantalupo, G., Coppola, A., ... Meletti, S. (2017). Photosensitive epilepsy is associated with reduced inhibition of alpha rhythm generating networks. *Brain*, 140(4), 981–997.
<http://doi.org/10.1093/brain/awx009>
 579. Rajeswaran, J., Bhagavatula, I., Kandavel, T., & Reddy, R. (2014). Silent epidemic: The effects of neurofeedback on quality-of-life. *Indian Journal of Psychological Medicine*, 36(1), 40. <http://doi.org/10.4103/0253-7176.127246>

580. Nelson, B. D., Jackson, F., Amir, N., & Hajcak, G. (2017). Attention bias modification reduces neural correlates of response monitoring. *Biological Psychology*, 129(August), 103–110. <http://doi.org/10.1016/j.biopsycho.2017.08.059>
581. Kim, S.-G., & Knösche, T. R. (2017). Resting state functional connectivity of the ventral auditory pathway in musicians with absolute pitch. *Human Brain Mapping*, 38(8), 3899–3916. <http://doi.org/10.1002/hbm.23637>
582. Yoshida, T., Masani, K., Zabjek, K., Popovic, M. R., & Chen, R. (2018). Dynamic cortical participation during bilateral, cyclical ankle movements: Effects of Parkinson's disease. *PloS One*, 13(4), e0196177. <http://doi.org/10.1371/journal.pone.0196177>
583. Honzel, N., Justus, T., & Swick, D. (2014). Posttraumatic stress disorder is associated with limited executive resources in a working memory task. *Cognitive, Affective & Behavioral Neuroscience*, 14(2), 792–804. <http://doi.org/10.3758/s13415-013-0219-x>
584. Pretreatment with scutellaria baicalensis stem-leaf total flavonoid prevents cerebral ischemia-reperfusion injury.
585. Cisler, J. M., Bush, K., James, G. A., Smitherman, S., & Kilts, C. D. (2015). Decoding the Traumatic Memory among Women with PTSD: Implications for Neurocircuitry Models of PTSD and Real-Time fMRI Neurofeedback. *PloS One*, 10(8), e0134717. <http://doi.org/10.1371/journal.pone.0134717>
586. Gorka, S. M., MacNamara, A., Aase, D. M., Proescher, E., Greenstein, J. E., Walters, R., ... Phan, K. L. (2016). Impact of alcohol use disorder comorbidity on defensive reactivity to errors in veterans with posttraumatic stress disorder. *Psychology of Addictive Behaviors : Journal of the Society of Psychologists in Addictive Behaviors*, 30(7), 733–742. <http://doi.org/10.1037/adb0000196>
587. Millington, C., Sonego, S., Karunaweera, N., Rangel, A., Aldrich-Wright, J. R., Campbell, I. L., ... Münch, G. (2014). Chronic neuroinflammation in Alzheimer's disease: new perspectives on animal models and promising candidate drugs. *BioMed Research International*, 2014, 309129. <http://doi.org/10.1155/2014/309129>
588. Pardo, C. A., Vargas, D. L., & Zimmerman, A. W. (2005). Immunity, neuroglia and neuroinflammation in autism. *International Review of Psychiatry*, 17(6), 485–495. <http://doi.org/10.1080/02646830500381930>
589. Zerlaut, Y., & Destexhe, A. (2017). Enhanced Responsiveness and Low-Level Awareness in Stochastic Network States. *Neuron*, 94(5), 1002–1009. <http://doi.org/10.1016/j.neuron.2017.04.001>
590. Liu, L., Ong, J. H., Tuninetti, A., & Escudero, P. (2018). One Way or Another: Evidence for Perceptual Asymmetry in Pre-attentive Learning of Non-native Contrasts. *Frontiers in Psychology*, 9, 162. <http://doi.org/10.3389/fpsyg.2018.00162>
591. Fischer, P., Pogosyan, A., Herz, D. M., Cheeran, B., Green, A. L., Fitzgerald, J., ... Tan, H. (2017). Subthalamic nucleus gamma activity increases not only during movement but also during movement inhibition. *ELife*, 6. <http://doi.org/10.7554/eLife.23947>
592. Martin, F. H., & Siddle, D. A. T. (2003). The interactive effects of alcohol and temazepam on P300 and reaction time. *Brain and Cognition*, 53(1), 58–65. [http://doi.org/10.1016/S0278-2626\(03\)00203-3](http://doi.org/10.1016/S0278-2626(03)00203-3)

593. Lannoy, S., D'Hondt, F., Dormal, V., Billieux, J., & Maurage, P. (2017). Electrophysiological correlates of performance monitoring in binge drinking: Impaired error-related but preserved feedback processing. *Clinical Neurophysiology*, 128(11), 2110–2121. <http://doi.org/10.1016/j.clinph.2017.08.005>
594. Lin, J.-J. J., Rugg, M. D., Das, S., Stein, J., Rizzuto, D. S., Kahana, M. J., & Lega, B. C. (2017). Theta band power increases in the posterior hippocampus predict successful episodic memory encoding in humans. *Hippocampus*, 27(10), 1040–1053. <http://doi.org/10.1002/hipo.22751>
595. Bassett, D. (2016). A literature review of heart rate variability in depressive and bipolar disorders. *Australian & New Zealand Journal of Psychiatry*, 50(6), 511–519. <http://doi.org/10.1177/0004867415622689>
596. Dunkley, B. T., Wong, S. M., Jetly, R., Wong, J. K., & Taylor, M. J. (2018). Post-traumatic stress disorder and chronic hyperconnectivity in emotional processing. *NeuroImage. Clinical*, 20, 197–204. <http://doi.org/10.1016/j.nicl.2018.07.007>
597. Tousseyn, S., Krishnan, B., Wang, Z. I., Wongwiangjunt, S., Nayak, C. S., Mosher, J. C., ... Nair, D. R. (2017). Connectivity in ictal single photon emission computed tomography perfusion: A cortico-cortical evoked potential study. *Brain*, 140(7), 1872–1884. <http://doi.org/10.1093/brain/awx123>
598. Bigliassi, M., Karageorghis, C. I., Wright, M. J., Orgs, G., & Nowicky, A. V. (2017). Effects of auditory stimuli on electrical activity in the brain during cycle ergometry. *Physiology and Behavior*, 177(April), 135–147. <http://doi.org/10.1016/j.physbeh.2017.04.023>
599. Akeju, O., & Brown, E. N. (2017). Neural oscillations demonstrate that general anesthesia and sedative states are neurophysiologically distinct from sleep. *Current Opinion in Neurobiology*, 44, 178–185. <http://doi.org/10.1016/j.conb.2017.04.011>
600. Irimia, A., & Van Horn, J. (2015). Functional neuroimaging of traumatic brain injury: advances and clinical utility. *Neuropsychiatric Disease and Treatment*, 11, 2355. <http://doi.org/10.2147/NDT.S79174>
601. Melamed, S., & Romantseva, L. (2017). Occipital Epilepsy, the Great Mimicker: Case Report and Review for the Pediatrician. *Hospital Pediatrics*, 7(7), 415–418. <http://doi.org/10.1542/hpeds.2016-0188>
602. Conty, L., N'Diaye, K., Tijus, C., & George, N. (2007). When eye creates the contact! ERP evidence for early dissociation between direct and averted gaze motion processing. *Neuropsychologia*, 45(13), 3024–3037. <http://doi.org/10.1016/j.neuropsychologia.2007.05.017>
603. Ramsøy, T. Z., Skov, M., Christensen, M. K., & Stahlhut, C. (2018). Frontal Brain Asymmetry and Willingness to Pay. *Frontiers in Neuroscience*, 12, 138. <http://doi.org/10.3389/fnins.2018.00138>
604. Kawakami, Y., & Itoh, Y. (2017). Forced Normalization: Antagonism Between Epilepsy and Psychosis. *Pediatric Neurology*, 70, 16–19. <http://doi.org/10.1016/j.pediatrneurol.2017.02.007>
605. Zheng, L., Liu, W., He, W., Yu, S., & Zhong, G. (2017). Altered effective brain connectivity at early response of antipsychotics in first-episode schizophrenia with auditory hallucinations. *Clinical Neurophysiology*, 128(6), 867–874. <http://doi.org/10.1016/j.clinph.2017.02.004>

606. Vuilleumier, P., & Pourtois, G. (2007). Distributed and interactive brain mechanisms during emotion face perception: Evidence from functional neuroimaging. *Neuropsychologia*, 45(1), 174–194. <http://doi.org/10.1016/j.neuropsychologia.2006.06.003>
607. Van Leeuwen, P., Gustafson, K. M., Cysarz, D., Geue, D., May, L. E., & Grönemeyer, D. (2014). Aerobic exercise during pregnancy and presence of fetal-maternal heart rate synchronization. *PloS One*, 9(8), e106036. <http://doi.org/10.1371/journal.pone.0106036>
608. Scholly, J., Staack, A. M., Kahane, P., Scavarda, D., Régis, J., Hirsch, E., & Bartolomei, F. (2017). Hypothalamic hamartoma: Epileptogenesis beyond the lesion? *Epilepsia*, 58, 32–40. <http://doi.org/10.1111/epi.13755>
609. Mani, J., & Madani, S. (2018). Pediatric abdominal migraine: current perspectives on a lesser known entity. *Pediatr Health Med Ther*, 9, 47–58. <http://doi.org/10.2147/PHMT.S127210>
610. Ludyga, S., Brand, S., Gerber, M., Weber, P., Brotzmann, M., Habibifar, F., & Pühse, U. (2017). An event-related potential investigation of the acute effects of aerobic and coordinative exercise on inhibitory control in children with ADHD. *Developmental Cognitive Neuroscience*, 28, 21–28. <http://doi.org/10.1016/j.dcn.2017.10.007>
611. Leddy, J., Baker, J. G., Haider, M. N., Hinds, A., & Willer, B. (2017). A Physiological Approach to Prolonged Recovery From Sport-Related Concussion. *Journal of Athletic Training*, 52(3), 299–308. <http://doi.org/10.4085/1062-6050-51.11.08>